



Wind Distributions and Interlevel Correlations, Surface to 60 km

ARTHUR J. KANTOR ALLEN E. COLE

19 August 1980

Approved for public release; distribution unlimited.

METEOROLOGY DIVISION PROJECT 6670
AIR FORCE GEOPHYSICS LABORATORY

HANSCOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF



A

80 12 04 091

OC FILE COPY

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

Chief Scientist

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

# 14 AFGL-7R-80-0242, AFGL-ERP-713

Unclassified

	SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)	
	REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
		3 HECIPIENT'S CATALOG NUMBER
	AFGL-TR-80-0242 AT AG 267	Ο
	TITLE (and Subtitle)	5 TYPE OF REPORT & PERIOD COVERED
(6	WIND DISTRIBUTIONS AND INTERLEVEL	Scientific. Interim.
0	CORRELATIONS, SURFACE TO 60 km	6 PERFORMING ORG. REPORT NUMBER ERP No. 713
	7 AUTHOR(s)	8 CONTRACT OR GRANT NUMBER(*)
	- 191 Environment	al research papers
10	Arthur J. Kantor Allen E./Cole	
<u> </u>	9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT TASK
1	Air Force Geophysics Laboratory (LYD)	62101F (/7) (7) (9 /
	Hanscom AFB Massachusetts 01731	667,0907
	11 CONTROLLING OFFICE NAME AND ADDRESS	V2. GEDORT BATE
	Air Force Geophysics Laboratory (LYD)	19 Augus 11080
	Hanscom AFB	3. NUMBER OF PAGES
	Massachusetts 0.17.3.1  14 MONITORING AGENCY NAME & ADDRESS/II dillerent from Controlling Office)	115 15 SECURITY CLASS (of this report)
	14 MONITORING AGENCY NAME & ADDRESS II different from Controlling Office)	†* <i>!</i>
	/////	Unclassified
	(11)/1772	150, DECLASSIFICATION/DOWNGRADING
	16. DISTRIBUTION STATEMENT (of this Report)	<del></del>
	16. DISTRIBUTION STATEMENT for this report	
	Approved for public release; distribution unlimite	ed.
	Li Di i so il difficio i	An Property
	17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fr	on Report)
	18 SUPPLEMENTARY NOTES	
	The state of the s	
	19. KEY WORDS (Continue on reverse side if necessary and identify by block number Stratospheric mesospheric winds	·
	Extreme winds	
	Reentry winds	
	Reentry vehicle trajectories	
***	20. ADSTRACT (Continue on reverse side if necessary and identify by block number	
	Information is provided in this report on the	
	east/west and north/south wind components for al	
	and 60 km, with special emphasis on levels betwe	en 25 km and 60 km. Mean
	monthly wind speeds and day-to-day variations du	e to synoptic changes in
	weather patterns are included. Estimates are als	so given of the probability of
	extreme wind speeds at spectific locations and alti statistical technique that can be used to obtain est	imates of the integrated effect
	of wind on the trajectories and impact points of re	entry vehicles is presented.
		700
	DD 1 FORM 1473   EDITION OF 1 NOV 65 IS OBSOLETE	Inclassified
	SECURITY CL	ASSIFICATION OF THIS PAGE (When Data Entered)

409578

D W

Unclassified SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)	
20. (Cont)	<u>-</u> · • ·
and an example of its application is given. These effects due to the must be considered, along with the density effects, in the design at of guidance systems for reentry vehicles and for targeting ballistic	e winds nd operatio missiles.
1	į

\_\_ 14736 -

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

### **Preface**

The authors wish to thank Mr. Karekin Agazarian who developed the computer program for the computation of the statistical arrays. He provided them in "camera-ready" format, eliminating the time-consuming, manual preparation of Appendix A of this report. We also appreciate the work of Mr. Eugene A. Bertoni who prepared many of the figures for final drafting.

Accession For
NTIS GRAZI
DOIC IA?
NTIS GRARI W DTIC TAR Unam. inced
Justifile .cm
Ву
The same of the sa
i engliste Crans
wai_ and/or
Dist   Special
1 1
\
14+ 1

- 20 - 1 - 1 - 1		
		Con
	1. INTRODUCTION	
	2. OBSERVATIONS AND LIMITATIONS	
	3. TECHNIQUE 3.1 The Effect of Wind on Aerospace Vehicles	
	3.2 Extreme Winds	
	4. WIND PROFILES	
	5. VARIABILITY	
	6. INTERLEVEL CORRELATION 7. EXTREME WINDS	
	REFERENCES	
	APPENDIX A: Interlevel Correlation Coefficients of Zonal and	
	Meridional Winds for Altitudes up to 60 km	
	APPENDIX B: Sample Calculations for Estimating the Effects of Winds on a Reentry Vehicle	
	•	
	_	
	5	

## Illustrations

1.	Latitudinal Effects on the Zonal Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill	15
2.	Latitudinal Effects on the Meridional Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill	16
3.	Seasonal Effects on the Zonal Wind Profiles at Ascension Island, Wallops Island, and Churchill	17
4.	Seasonal Effects on the Meridional Wind Profiles at Ascension Island, Walleps Island, and Churchill	18
5.	Day-to-day Variability Around Mean Monthly Zonal Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill	19
6.	Day-to-day Variability Around Mean Monthly Meridional Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill	19
7.	Vertical Profiles of Correlation Coefficients of Zonal Winds at the Surface With Zonal Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill	21
8.	Vertical Profiles of Correlation Coefficients of Meridional Winds at the Surface With Meridional Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill	2.2
9.	Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein	23
10.	Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein	23
11.	Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	24
12.	Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	24
13.	Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats	25
14.	Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Polon Flate.	0.5

1.	Observational Sites	10
2.	Median and 90, 95, and 99 Percentile Scalar Winds (m. sec 1) for the Midseason Months at Ascension Island	27
3.	Median and 90, 95, and 99 Percentile Scalar Winds (n. sec <sup>-1</sup> ) for the Midseason Months at Wallops Island	28
4.	Median and 90, 95, and 99 Percentile Scalar Winds (in sec 1) for the Midseason Months at Churchill	29
A 1.	Zonal Winds From the Surface to 60 km at Ascension Island	34
A2.	Meridional Winds From the Surface to 60 km at Ascension Island	38
A3.	Zonal Winds From the Surface to 60 km at Kwajalein	12
A4.	Meridional Winds From the Surface to 60 km at Kwajalein	46
A5.	Zonal Winds From the Surface to 60 km at Wallops Island	50
A6.	Meridional Winds From the Surface to 60 km at Waliops Island	54
A7.	Zonal Winds From the Surface to 60 km at Churchill	58
A0.	Meridional Winds From the Surface to 60 km at Churchill	62
A9.	Zonal Winds From 26 km to 60 km at Fort Sherman	66
10.	Meridional Winds From 26 km to 60 km at Fort Sherman	70
11.	Zonal Winds From 26 km to 60 km at Barking Sands	74
12.	Meridional Winds From 26 km to 60 km at Barking Sands	78
13.	Zonal Winds From 26 km to 60 km at Cape Kennedy	82
14.	Meridional Winds From 26 km to 60 km at Cape Kennedy	86
15.	Zonal Winds From 26 km to 60 km at White Sands	90
16.	Meridional Winds From 26 km to 60 km at White Sands	94
17.	Zonal Winds From 26 km to 60 km at Primrose Lake	98
18.	Meridional Winds From 26 km to 60 km at Primrose Lake	101
19.	Zonal Winds From 26 km to 60 km at Poker Flats	104
20.	Mericional Winds From 26 km to 60 km at Poker Flats	108

Tables

## Wind Distributions and Interlevel Correlations, Surface to 60 km

#### 1. INTRODUCTION

The winds that are encountered during passage through the atmosphere must be considered in the design and operation of missiles and other aerospace vehicles. In horizontal flight, information on the direction and speed of the wind at a specific altitude is needed to determine the range and ground speed of aircraft and the trajectory of constant level balloons. Variations in the vertical distribution of the winds are important factors in the launching as well as reentry of aerospace vehicles which rise or descend vertically through the atmosphere. During launch, wind shear resulting from changes in wind speed and direction with altitude can create a continuous torque on a vertically rising vehicle, forcing it off course and out of control. Deviations in the assumed vertical wind profile over a target or reentry point affect the range and cross-range of a ballistic missile. These effects must be considered, along with density effects, <sup>1</sup> in the design of guidance systems for reentry vehicles and for targeting ballistic missiles.

The data presented in this report indicate the frequency of extreme wind speeds at altitudes up to 60 km and provide information on the interlevel correlations of the east/west (zonal) and north/south (meridional) wind components for altitudes

<sup>(</sup>Received for publication 19 August 1980)

<sup>1.</sup> Cole, A.E., Kantor, A.J., and Bertoni, E.A. (1980) Interlevel Correlation of Temperature and Density, Surface to 60 km, AFGL-TR-80-0163.

between the surface and 60 km over specific locations. Special emphasis is placed on winds in the region between 25 and 60 km. A statistical technique which can be used to integrate the influence of the wind on the trajectories and impact points of reentry vehicles is presented and an example of its application is given in Appendix B. The technique can be also used for estimating the dispersion of balloons released from the surface and of chaff released in the upper atmosphere.

#### 2. OBSERVATIONS AND LIMITATIONS

Wind data used in this report consist of rawinsonde and Meteorological Rocke; Network (MRN) observations taken at the ten locations shown in Table 1.

Table 1. Observational Sites

Station	Location	Altitudes	Period of Record
Ascension Island	8°S. 14°W	Surface to 60 km	1969 - 1976
Kwajalein	9°N, 168°E	Surface to 60 km	1969 - 1976
Wallops Island	38°N, 75°W	Surface to 60 km	1969-1976
Churchill	59°N 94°W	Surface to 60 km	1969 - 1976
Fort Sherman	9°N, 80°W	26 to 60 km	1969-1976
Barking Sands	22°N, 160°W	26 to 60 km	1969-1976
Cape Kennedy	28°N, 80°W	26 to 60 km	1969 - 1976
White Sands	32°N, 106°W	26 to 60 km	1969 - 1976
Primrose Lake	55°N, 110°W	26 to 60 km	1969-1976
Poker Flats	64°N, 146°W	26 to 60 km	1969-1976

At the first four stations, rawinsonde and rocketsonde observations taken within a few hours of each other were combined to provide individual wind profiles from the surface to 60 km. Rocketsondes without accompanying rawinsondes were used at the six remaining sites to develop statistical properties of the wind distributions between 26 km and 60 km. Only observations that were taken at least 72 hr apart were used for this study in order to minimize the effects of persistence on the statistical properties of the wind. Durst has shown that, at altitudes between 5 km and 20 km, the time rate of decay of the correlation coefficient (R) for wind follows the rule  $R = e^{-aT}$ , where "a" equals  $6.9 \times 10^{-6} \, \mathrm{sec}^{-1}$  and T is measured in seconds.

<sup>2.</sup> Durst, B. A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.

The calculated correlation coefficient between observations taken three days apart is 0.17. This is in agreement with observed 72-hr correlations which are generally near zero (< 0.2).

The winds for altitudes up to 26 km, were extracted from rawinsonde observations. The Root Mean Square (RMS) observational errors in rawinsonde wind measurements using FPS-16, T-9, or similar radar for altitudes up to 26 km are 1 m sec<sup>-1</sup> plus 2 percent of the vector wind. For geometric altitudes between 26 km and 60 km, winds are obtained at 2-km intervals directly from MRN observations. The estimated RMS observational errors in rocketsonde wind measurements at these levels are 2 m sec<sup>-1</sup> plus 3 percent of the vector wind.

Statistical arrays of the mean monthly winds for the midseason months of January, April, July, and October are presented in Appendix A for the ten locations shown in Table 1. They include mean monthly values of the zonal and meridional components at 2-km increments of altitude, standard deviations around the means, and interlevel correlation coefficients for each component for altitudes up to 60 km. The observed RMS variations ( $\sigma_0$ ) around the monthly means include the true RMS variability ( $\sigma_t$ ) due to changes in synoptic conditions and the RMS observation error ( $\sigma_e$ ). If the true variability and observational errors are independent, the observed RMS variability is given by Eq. (1):

$$\sigma_{Q} = \sqrt{\sigma_{t}^{2} + \sigma_{e}^{2}}.$$
 (1)

As a result, the effect of observational errors should be carefully evaluated to determine how much of the variability indicated by the uncorrected soundings is due to synoptic changes in weather patterns. These errors have a relatively small effect on the mean monthly wind components given in Appendix A because the RMS error of the mean monthly wind is equal to the RMS value of the error of an observation divided by the square root of the number of independent observations used in computing the monthly means.

#### 3. TECHNIQUE

#### 3.1 The Effect of Wind on Aerospace Vehicles

The average effect (E) of mean monthly winds on the range and cross range of a missile can be determined for a particular location by computer-simulated flights

Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM.

World Data Center A (1969-1976) Data Report Meteorological Rocket Network Firings, Ashville, NC.

through mean monthly component wind profiles if the appropriate influence coefficients for the missile at the various levels are given:

$$\mathbf{E} = \mathbf{c}_{\mathbf{i}} \mathbf{v}_{\mathbf{i}} \tag{2}$$

where c<sub>i</sub> is the influence coefficient at the ith level that describes the portion of the total response of a missile assignable to that level, and v<sub>i</sub> represents the mean of the component wind speed for that level. The variation around this average effect that is, the integrated standard deviation of the range due to day-to-day deviations from the mean monthly component wind profile, can be obtained from:

$$\sigma = \sqrt{\sum_{ij} c_i c_j R_{ij} \sigma_i \sigma_j}$$
 (3)

where  $\sigma$  is the integrated standard deviation,  $c_i$  and  $c_j$  are the influence coefficients at levels iand j,  $\sigma_i$  and  $\sigma_j$  are the standard deviations of the component wind at levels i and j, and  $R_{ij}$  is the correlation coefficient between the component wind at level i with that at level j. If it is assumed that the cross-component correlations are zero at any given level as well as between levels, the standard deviations for each component of the wind [Eq. (3)] can be readily combined and used to determine the probability of occurrence of deviations of any desired magnitude from the planned trajectory or, conversely, any probability of occurrence for the means, standard deviations, and correlation coefficients given in Appendix A. The arithmetic example in Appendix B illustrates how to use Eqs. (2) and (3) along with the statistical arrays in Appendix A to estimate the effect of the wind on the trajectory (and impact point) of a reentry vehicle.

#### 3.2 Extreme Winds

Extreme wind speeds also can be estimated from the mean monthly wind components and standard deviations given in Appendix A. Based on the observations described in Section 2 above, mean monthly wind vectors and vector standard deviations were determined from the means and standard deviations of the zonal and meridional winds. Extreme scalar speeds were then calculated using the vector means and associated vector standard deviations and assuming a circular normal distribution. A circular normal distribution requires an assumption that the zonal and meridional

Valley, S. L., Sci. Ed. (1965) Handbook of Geophysics and Space Environments, AFCRL.

Crutcher, H. L. (1959) Upper Wind Statistics Charts of the Northern Hemisphere, NAVAER 50-1C-535, Vol. I and II.

wind components are uncorrelated (independent) and that their standard deviations are equal. Since the standard deviations around the mean monthly zonal winds are generally somewhat larger than the standard deviations around the mean monthly meridional winds, an elliptical normal rather than a circular normal assumption applies. The effect of this inequality in the standard deviations can be estimated. For example, when the standard deviation of one component is twice that of the other, a circle of radius equal to one vector standard deviation contains about 65 percent of the total probability rather than 63.2 percent when the standard deviations are equal (circular normal). Because of this small difference, a circular normal approximation has been used in this report as it provides reasonably accurate estimates and simplifies the calculations that must be made to determine extreme winds in the stratosphere and lower mesosphere.

#### 4. WIND PROFILES

Profiles of mean zonal and meridional winds (m sec<sup>-1</sup>) for each of the midseason months at Ascension Island, Wallops Island, and Churchill are plotted in Figures 1 and 2. These profiles describe variations in the vertical distributions of the monthly winds with geographic location. The most obvious feature of the zonal winds (Figure 1) in the stratosphere and lower mesosphere is that the strongest zonal winds occur near 60 km at Wallops Island in three of the four seasons. A west-to-east reversal in the zonal component above 20 km occurs between January and July at both Wallops Island and Churchill. In the troposphere the zonal winds generally increase with altitude from the surface, reaching a maximum near the tropopause where the mean zonal winds are westerly at all latitudes and seasons. This is the level where the wind shear is likely to be the most critical during the launching of missiles and other aerospace vehicles. The mean monthly meridional winds (Figure 2) are relatively light, less than 10 or 12 m sec<sup>-1</sup> at all levels and locations except above 24 km at Wallops Island and Churchill in January.

Seasonal differences in the component wind profiles at each of the three stations are apparent in Figures 3 and 4. The middle and high latitude west-to-east reversal between winter and summer is clearly shown in Figure 3 for altitudes above 20 km at both Wallops Island and Churchill. Mean monthly differences between the winter westerlies and summer easterlies reach 136 m sec<sup>-1</sup> at Wallops Island at 60 km. Somewhat larger differences occur between 60 and 70 km, the region of maximum winds in the mesosphere at midlatitude locations, and they gradually

Court, A. (1957) Maximum Variability Level of Winds, Scientific Report No. 2, Contract AF19(604)-2060, AFCRC TN-57-478.

decrease at altitudes above 70 km. Below 20 km monthly zonal winds at Wallops Island and Churchill are light to moderate westerly (< 34 m sec<sup>-1</sup>) during all seasons. The mean meridional components (Figure 4) are generally small during most seasons. Southerly winds approach 18 m sec<sup>-1</sup> only in January above 44 km at Wallops Island, and northerly winds reach about the same speed, also in January, between 32 and 44 km at Churchill.

#### 5. VARIABILITY

Standard deviations of the day-to-day fluctuations around the mean monthly component winds for altitudes between the surface and 60 km are tabulated in Appendix A and are shown in Figures 5 and 6 for January, April, July, and October at Ascension Island, Wallops Island, and Churchill. These variations are a result of day-to-day changes in synoptic weather patterns. The variations of the zonal winds (Figure 5) are generally largest in January and at high latitudes, and smallest in July. Above the trosphere in July the variations are somewhat larger in the tropics than in middle and high latitudes. In addition, the seasonal differences between January and July increase with both latitude and altitude at levels above 20 km. The variations of the meridional winds (Figure 6) display similar characteristics, but are generally somewhat smaller above the troposphere than variations of the zonal winds.




Figure 1. Latitudinal Effects on the Zonal Wind Profiles for the Midseason Months at Ascencion Island, Wallops Island, and Churchill





Figure 2. Latitudinal Effects on the Meridional Wind Profiles for the Midseason Months at Ascension Island, Wallops Island, and Churchill






Figure 3. Seasonal Effects on the Zonal Wind Profiles at Ascension Island, Wallops Island, and Churchill




Figure 4. Seasonal Effects on the Meridional Wind Profiles at Ascension Island, Wallops Island, and Churchill




Figure 5. Day-to-day Variability Around Mean Monthly Zonal Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill




Figure 6. Day-to-day Variability Around Mean Monthly Meridional Winds for the Midseason Months at Ascension Island, Wallops Island, and Churchill

#### 6. INTERLEVEL CORRELATIONS

The rate of decay of the correlations with an increase of either the horizontal or vertical distance between the points of observation, or the time interval between observations, is similar for most meteorological elements such as density, temperature, and wind. As yet, no one fundamental mathematical expression has been found to completely describe this correlation decay. Accordingly, a number of empirical models which are valid for specific meteorological elements over only limited ranges have been developed and used.

Profiles of correlation coefficients (R) of surface wind components with wind components at other altitudes up to 60 km are shown in Figures 7 and 8 for each of the midseason months at Ascension Island, Wallops Island, and Churchill. Correlations between the surface components and those at other altitudes decrease quickly as the vertical distance between levels increases; they generally approach zero and maintain relatively low values during all seasons at the three locations between the surface and all levels above the tropopause (> 8 to 16 km). This indicates that not much information on day-to-day variability around the mean monthly component wind profiles above the tropopause can be obtained from surface wind observations. The decay of the interlevel correlations with increasing separation varies considerably with starting level and season, as can be seen in the tabulations within the statistical arrays in Appendix A.

Profiles of correlation coefficients of the component winds at 26 km with component winds at higher altitudes up to 60 km are shown for each of the midseason months at locations in the tropics (Figures 9 and 10), middle latitudes (Figures 11 and 12), and high latitudes (Figures 13 and 14). The July profiles at Primrose Lake are not shown in Figures 13 and 14 because only 10 or 11 observations were available in July for the development of the interlevel correlations.

Interlevel correlations between zonal components decay most rapidly in the tropics, becoming negative within 6 to 12 km above 26 km. In middle and high latitudes the correlations decay more slowly, remaining positive or near zero at most locations and months. In January, however, correlations at most midlatitude stations become negative above roughly 40 km. The profiles for locations within the same latitude band indicate that the correlations are fairly stable for large areas of the Northern Hemisphere. Consequently, more reliable estimates of the profiles of R for altitudes above 26 km can be derived by using average values for low, middle, and high latitude locations, respectively, obtained either from the plots shown in Figures 9, 11, and 13 or from the statistical arrays in Appendix A.

The meridional components are relatively unimportant since correlations are generally between ± 0.3 at all levels, months, and stations in the tropics; during April, July, and October in the middle latitudes; and during July in high latitudes. The high-latitude correlations decay to near zero or slightly less than zero during the other months at levels above roughly 50 km.




Figure 7. Vertical Profiles of Correlation Coefficients of Zonal Winds at the Surface With Zonal Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill




Figure 8. Vertical Profiles of Correlation Coefficients of Meridional Winds at the Surface With Meridional Winds at Other Altitudes up to 60 km for the Midseason Months at Ascension Island, Wallops Island, and Churchill




Figure 9. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein




Figure 10. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Ascension Island, Fort Sherman, and Kwajalein




Figure 11. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 12. Vertical Profiles of Correlation Coefficients of Meridional Winds at 26 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 13. Vertical Profiles of Correlation Coefficients of Zonal Winds at 26 km With Zonal Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats




Figure 14. Vertical Profiles of Correlation Coefficients of Meridional Winds at 25 km With Meridional Winds at Higher Altitudes up to 60 km for the Midseason Months at Primrose Lake, Churchill, and Poker Flats

#### 7. EXTREME WINDS

Vertical cross sections of mean monthly zonal and meridional winds have revealed that the strongest monthly vector winds occur in the middle latitudes, generally during November and December. Resulting hemispheric 1-percent extremes have been estimated to reach 215 m sec<sup>-1</sup> near 55 km. <sup>8</sup> Envelopes of estimated global extreme winds for altitudes from the surface to 80 km can be found in MIL-STD-210B. <sup>9</sup>

Mean monthly vector winds for this report were calculated from monthly component winds for altitudes above 26 km and were found to be largest during winter between latitudes 35°N and 60°N. The 90, 95, and 99 percentile scalar speeds were estimated for Ascension Island, Wallops Island, and Churchill, using the statistical technique outlined in Section 3 of this report. Ascension Island, Wallops Island, and Churchill were selected as locations typical of wind regimes in low, middle, and high latitudes, respectively. Medians and 90, 95, and 99 percentile scalar speeds for the midseason months at these locations are shown in Tables 2, 3, and 4 for altitudes between 26 and 60 km. The largest 1-percent extremes (155 m sec<sup>-1</sup>) are shown at Wallops Island in January at 60 km, with the maximum apparently occurring at or slightly above 60 km. The 1-percent extreme at Churchill (152 m sec<sup>-1</sup>), also in January, occurs near 50 km, more typical of a high-latitude location. Extremes are usually smaller in the tropics, as indicated in Table 2 for Ascension Island.

These estimates provide envelopes of the 90, 95, and 99 percentile wind speeds at specific locations for levels between 26 and 60 km. They will not occur simultaneously at all levels; consequently, they cannot be used to represent an extreme wind profile. Because they were determined statistically at all altitudes, assuming independence between levels, they should not be used to determine the effect of wind on a vertically rising or descending vehicle. They are applicable, however, to a vehicle traveling horizontally through the atmosphere such as a constant level balloon or aircraft.

Kantor, A. J. (1969) <u>Strong Wind and Vertical Wind Shear Above 30 km</u>, AFCRL-69-0346.

<sup>9.</sup> DoD (1973) MIL-STD-210B, Climatic Extremes for Military Equipment, Washington, D.C.

Table 2. Median and 90, 95, and 99 Percentile Scalar Winds (m sec<sup>-1</sup>) for the Midseason Months at Ascension Island

										-									
	66	45	36	32	38	41	44	45	37	30	33	37	39	43	43	46	42	44	22
er	tile 95	38	31	27	32	35	37	38	30	24	27	32	34	37	37	41	37	39	49
October	Percentile 90 95	35	53	25	53	31	33	34	27	21	25	29	31	35	35	38	35	37	45
	50	12	11	7	2	8	~	2	က	2	ß	6	12	15	14	18	20	20	22
	-					-												_	
	66	46	43	37	32	30	36	44	46	48	53	61	64	64	53	44	42	8	53
) ×	itile 95	39	36	32	27	22	31	38	39	41	46	53	26	22	47	37	34	40	45
July	Percentile 90 95	35	33	29	25	23	28	34	36	38	42	49	52	53	43	34	31	36	41
	F0	6	6	8	9	သ	2	6	10	13	16	21	23	24	18	6	4	6	12
					<del></del>														
	66	39	44	50	52	52	46	44	37	45	47	48	53	55	57	62	67	7.1	72
I=	itile 95	34	38	43	45	45	40	38	30	39	41	44	48	20	52	57	61	65	65
April	Percentile 90 95	3.1	35	40	42	42	38	35	27	35	39	41	45	47	20	54	28	62	62
	50	11	12	15	16	17	17	13	1	11	20	24	27	30	33	34	38	40	37
	66	38	42	51	53	58	58	09	69	73	88	102	114	113	96	80	99	49	44
nuary	centile 00 95	34	37	45	47	52	53	55	63	69	82	96	106	103	86	70	56	40	37
Jan	Perc 90	31	34	42	44	49	50	53	61	99	79	92	102	66	81	65	52	35	33
	20	15	15	18	22	27	31	34	41	20	9	68	73	65	46	53	16	က	4
	Altitude (km)	26	28	30	32	34	36	38	40	42	44	46	48	20	52	54	56	58	09
<b>I</b>	4	<u> </u>																	

Table 3. Median and 90, 95, and 99 Percentile Scalar Winds (m sec<sup>-1</sup>) for the Midseason Months at Wallops Island

	66	24	56	37	45	54	63	65	7.1	80	98	26	101	106	110	112	112	121	112
er	tile 95	20	25	32	40	48	55	22	62	7.1	77	06	90	92	66	101	101	109	101
October	Percentile 90 95	18	23	53	37	44	52	53	28	29	72	82	82	90	94	96	96	103	96
	F 50	9	æ	10	16	20	24	25	28	34	38	45	48	51	55	57	28	09	22
	66	22	24	26	31	32	35	40	44	49	52	56	09	29	74	81	83	98	92
	ii- 95	20	23	25	53	30	32	38	42	46	20	53	22	62	69	22	7.8	80	89
July	Percentil- 90 95	19	22	24	28	53	31	37	41	45	48	25	22	09	99	73	75	82	85
	P 50	14	16	18	20	22	24	28	32	35	39	41	42	45	49	53	56	57	09
								~	-										
	66	15	19	26	33	40	46	48	48	50	50	51	20	48	45	45	43	46	49
11	tile 95	13	16	22	59	35	40	42	42	43	43	44	43	41	38	38	36	39	41
April	Percentile 90 95	11	14	20	22	33	37	39	39	40	40	40	39	37	35	35	33	32	37
	50	c.	4	æ	12	15	16	16	15	15	13	14	13	11	80	o,	8	6	2
	66	49	09	89	82	91	94	103	115	115	118	128	134	140	140	140	141	146	155
ry	centile 0 95	42	51	28	7.1	43	82	90	100	100	104	113	119	124	124	125	126	131	140
January	Percen 90	38	47	54	65	73	92	83	93	93	98	106	111	117	117	118	119	124	132
	F 50	14	16	19	24	28	31	35	39	42	48	53	57	09	62	65	65	7.0	78
	Altitude (km)	26	28	30	32	34	36	38	40	42	44	46	48	20	52	54	56	58	09

Table 4. Median and 90, 95, and 99 Percentile Scalar Winds (m sec<sup>-1</sup>) for the Midseason Months at Churchill

		ranus	nuary			Afril				July	<b>S</b>			October	er	
Altitude (km)	50	Percer 90	rcentile 90 95	66	50	Percentile 90 95	tile 95	66	20	Percentile 90 95	ntile 95	66	99	Percentile 90 95	tile 95	99
26	30	7.8	84	86	3	14	15	18	7	11	12	13	11	25	27	31
28	29	83	90	105	သ	17	18	22	6	13	14	15	13	53	31	35
30	30	88	96	111	ß	20	22	26	10	14	15	16	16	33	35	40
32	31	92	100	117	ស	22	24	28	11	16	17	19	18	37	39	44
34	31	93	101	118	4	22	24	29	14	20	21	23	21	40	43	49
36	30	92	104	122	8	22	24	29	14	20	21	23	24	46	49	55
38	32	100	110	129	Ħ	22	24	59	15	20	21	23	28	49	25	58
40	34	105	115	134	2	24	27	33	18	24	25	27	31	54	22	64
42	32	105	115	134	9	29	32	38	20	29	30	32	34	28	61	29
44	33	109	120	141	7	31	34	41	22	31	32	35	38	63	22	74
46	36	114	125	146	10	36	40	47	24	34	35	38	41	29	7.1	7.8
48	36	118	129	152	11	39	43	51	27	39	40	43	44	72	5	83
50	38	119	130	152	13	43	47	99	30	44	46	20	45	74	7.8	98
52	33	118	129	152	12	43	47	99	34	46	47	51	45	80	84	94
54	39	117	127	149	12	45	49	58	35	49	51	22	42	7.8	83	92
56	37	110	120	141	12	45	49	58	39	52	22	62	43	78	83	85
58	27	89	86	115	11	47	25	62	41	59	62	29	40	75	80	83
90	31	93	101	118	13	49	54	64	46	65	29	72	39	74	7.8	88

#### References

- Cole, A.E., Kantor, A.J., and Bertoni, E.A. (1980) Interlevel Correlation of Temperature and Density, Surface to 60 km, AFGL-TR-80-0163.
- 2. Durst, B.A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.
- 3. Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM.
- 4. World Data Center A (1969-1976) Data Report Meteorological Rocket Network Firings, Ashville, NC.
- 5. Valley, S. L., Sci. Ed. (1965) Handbook of Geophysics and Space Environments, AFCRL.
- 6. Crutcher, H. L. (1959) Upper Wind Statistics Charts of the Northern Hemisphere, NAVAER 50-1C-535, Vol. I and II.
- 7. Court, A. (1957) Maximum Variability Level of Winds, Scientific Report No. 2, Contract AF19(604)-2060, AFCRC TN-57-478.
- Kantor, A.J. (1969) Strong Wind and Vertical Wind Shear Above 30 km, AFCRL-69-0346.
- 9. DoD (1973) MIL-STD-210B, Climatic Extremes for Military Equipment, Washington, D.C.

## Appendix A

Interlevel Correlation Coefficients of Zonal and Meridional Winds for Altitudes up to 60 km

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island correlation at Pairs of Levels for Jan 1969-1976 ascension Island

EAST-WEST WIND "/SEC WEST +

KILOMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STANDARD DEVIATION OF WALUES TIMES 10	NUMBER OF WALUES AT EACH ALTITUDE
ž	MEAN	STOV	z

9	4	191	92												
28		-1	30												M
			33											22	9
3	-53	691	m +											NW NW	10
		•	7											800 A	ដ
23			<b>4</b> 3											riat	¥
			7										82	#22#	3
		65 1	<b>1</b>									75	‡	20°1°	13
*	•	700	4									5.4 4.6	31	222	<b>9</b>
42		40	4									10 to	σ	3535	-50
40	147	111	<b>4</b>									1100	8	SH AR	-15
3.8		0	† 12								9.	41 45 2000	-13	4666	9
36			4							87	50	2219	-17	ក្ខភព	ę.
34			t t							25	£	404 404 404	-26	2578 8475	-13
32	- 22		<b>4</b> 3							ಕ್ಕೂ 4 ೧೩೮	13	120	-36	32233	-30
.;	-18	147	4							<b>MW.40</b>	7	1111 5000	-36	4250 4250 4250 4250 4250 4250 4250 4250	-26
28	-15		٠,						9.0	4000 4000	~	######################################	-36	40164 M4.4M	-28
92			<b>4</b>					5	34	25 - 25 - 25 - 25 - 25 - 25 - 25 - 25 -	- 33	##### ######	-34	1117	7
54		126	ţ					24	137	1111 2000 2004	-40	7785	10	65.4°	~
22	-14	113	#) #					440 440	-65	177	-35	MNN N#40	23	1 t	N
20	- 10	25	ţ,					6175	-72	173		ころ これ これ これ	22	<b>►</b> ₩44	*
18	ř	45	43				4	BVW3 MONN	-35	3741	71	304 3000	m	46mm	77
16	0	40	4.34			92	*	HMOH HH I	13	7 7 7 7 7 7	- 19	24-1	-19	7717	-15
<b>\$</b> :	6	130	43			ه در چه	0	よれることよること	27	でよる	-16	77.79	-22	1222	2
12	9	113	3			*** ****	-	1221	ጥ	4 11	-12	ก็ตรู้มี	-14	4000	+1
10	+	96	4			തന്മല	7	700H	19	8077	-14	1117	-21	1421	6
•	†	67	t M		22	74w 804r	-13	4645	Ħ	174	-11	<del>-</del>	<b>ም</b>	#± 100 ₩ФЙ0	18
9	5	34	43	55	30	1000 1000 1000	-10	4404	.5	<b>4</b> ቦነውቦ	14	'7'		990M 4444	
4	4	4	43	20	6	10H01	41-	これのこれ	7	4004	ş	MAGM	٠	11 441 666	0
~	'n	37	<b>1</b> 4	S MMN	€0	15 H	40	25.22 11.22 12.22 13.23 14.23 15.23	-23	349E	ō,	20 2400	26	4004 4004	3
640.	9	16	42	ますころ	<b>‡</b> 2	4114	1	44 9925	-	mmma.	-14	MI I MINUM	*	4434 1404 111	•
¥	MEAN	ADAS	z	0.4¢¢	91	7340 4444	50	<b>0498</b> 0	30	സ <b>്ട്ര</b> ശേ നമ്പന	9	イタイス いまいむ	20	សល់ពីល សង្គល់	6.0

\*\* MULTIPLY TABULAF VALUES BY 0.01 TO DBTAIN CORRELATION COEFFICIENTS

Table A1. Zonal Winds F'rom the Surface to 60 km at Ascension Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1959-1976 ASCENSION ISLAND

					99	37	35	20												
					58	07	-	~												<b></b>
					56 5	38 4	96 110	34 2											•	3 81
					t.	۳ ع	4	60											8	
					eri V	m	5 113	m											802	. 25
					52	33	96	38											566 500 500 500 500 500 500 500 500 500	E .
					ß	30	104	33											250 250 250 250 250 250 250 250 250 250	15
					2											16	2252	•		
					·†	Š	103	38									62	67	202 202	15
					3	20	112	P.									<b></b> €0.00	0,4	ቁቦችለ የພጥພ	6
					4	10	153	36									674 644	24	N440 0640	27
			10		7	0	157	36									35°00 80°04	~	400L	•
				ä	3.8	-13	137	30								71	1004	<b>6</b> 0	44ve	-
EC WEST +			TIMES	ALTITUDE	36	-17	129	33							19	70	0 m / m	-16	##### #####	-30
	ĘĹ	ES	WAL UES		ň	-17	159	3.8							9 12 12 12 13 14	- 20	00000 00000	-13	1111 2000 2000	04-
	LEVE	VALUE	FVA	EACH	32	-16	1 66	38							98	82	8682	6	4455 4455 4455	9
	SEA		N OF	A	30	-15	161	338							8 000 1 000	3.6	NW044 0400	07-	## CO T	3
#/SE	ABOVE	OBSERVED	ATI	VALUES	92	-15	7	37						36	SECTION OF THE SECTIO	- 9+-	8040 8040	•	NP OW	6 4
FIND		9 8	0E V		56	-11	28 1	38					4	7.7	4467 4467 1	1	1287	ភេ	4185 400	٠ •
			STANDARD DEVIATION	R 0F	54	6-	99 1	34					,0 r. 60 40	3	2222 8226 8	19 -	2000 2000 111	32	440m	0
ST-HEST	ILOM	AVERAGE	TAND	NUMBER	22	6-	10 2	36					7044 440	20	11111 10000 1	24.		33	•	36
EAS		_			20	ış.	94 1	37					6699 5699 514	68 -5	Negr		12364 18964	10		3
	ž	HEA	STOV	z	18	‡	96	38				65	<b>60000</b>	1	25.45	39	4446	52	1500 1500	22
					9	7	<u>د</u>	38			36	22	0300 0300 0300	10 -7	111		WWO!	'n	<b>N+IU</b> Φ	23
					4	m	108	36			ovh•	01	1111 1000 1111	3	4043 4043	6	emen 11	,	<b>⇔</b>	5
					12	m	75 1(	38			D44	9	LALAN NO.	~	4400 4400	7	OUL-O	3 -1	7777 7179	2
						-1					4300 4300	6	MED OF	s	n ⇔sa		2400 24	2	<b>ONHH</b>	2 - 2
						~	60 5			'n	Web ed to		1100	ı.			P-MAD		mmom mace	٥.
						, E	9	<b>6</b>	m	~	4936 9940		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7	i m	7	-	N	NNNN	1-1
					_	•	M	Ñ π	-	37	<b>WHEN</b>		संस्		440	•	NNN	-	4004	•
					- <b>-</b>	7	54	m	उस	4	4014		9417				•			3
					N	7	27	8	1201	-14	132 132 64 64 64	-10	4000	-	242	-	777	9	446) wm410,	45
					6 40	~	16	M G	4030	**-	4000	-24	かくしゅう これのマ	56	9403	<b>*</b>	9395. 111	12	57,12	*
					•	,	_								-					

\*\* MULTIPLY TABULAR VALUES BY U.O1 TO CHTAIN CORRELATION COEFFICIENTS

KF HEAN STOV N

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island (Cont)

		ب		, 9		2		
		3	` ~		•			
		i.	` `	**		`		
		Š	, ,	147	5	3		
		5.0	25	172	i K	2		
		ç	-23	172	5.	3		
		4	-21	170	IU W			
		ţ	-16	161	'n			
		4	-12	151	47			
يو		2	- 10	162	51 50 47 43 53 53 53 53 53 53 53 53 53 53 53 53 53			
£.	E CS	33	9	160	5			
CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 ASCENSION ISLAND EAST-WEST WIND WYSEC WEST +	KILOMETERS ABOVE SEA LEVEL AVERAGE OF 03SERVED VALUES STANDARD DEVIATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE	36	7-	131	53			
1 t	EL ES LUES ALT	ŧ	19	114	53			
EVELS FOR JUL 1 ISLAND M/SEC WEST +	KILOMETERS ABOVE SEA LEVEL Average of Observed Values Standard deviation of Value Number of Values at Each A	32	φ	117	53			
ELS SLAN SEC	SEA VED ON O	30	40	133	53			
AIRS OF LEVELS FO ASCENSION ISLAND ST WIND M/SEC N	BOVE 3SER IATI	60 60	6	551	53			
S OF ENSI HIND	KS AND OF OF OF WAL	26	6	691	53			
PAIR ASC EST	METEL AGE L DARD ER OG	542	10	200	E,			
ON AT PAIRS OF L ASCENSION EAST-WEST WIND	KILO AVER STAN NUMB	22	3	134	1.5			
TION	KM HEAN STOV	20	#4	72	20			
RELA	SA	18	2	53	21			
COR		91	8	49	51			
		:	40	113	3;			ž
		12	9	120	51			460
		7.0	8	96	51			40.
		ት 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 34 56	-2 -1 2 6 8 2 2 1 -4 -5 -9 -9 -8 -6 -5 -7 -9 -10 -12 -16 -21 -23 -24 -14 -9 +	43 52 61 90 110 113 64 53 72 134 200 169 155 133 117 114 131 160 162 151 161 170 172 172 147 139 149	51 51 51 51 51 51		77	14 W W W W W W W W W W W W W W W W W W W
		•	2-	25	51	7	54	469 440
		4	0	m †	51	310	^	9K#
		ď	2	31	51	* 000 H	~	944
						•		

5	3 2	; ;	, s	;											
ď	, «	- 4	• • •	}											69
4		, 04	, ,	}										S.	
45	. 9		, M											N/E	N
ç	110			2										235	
5.0	-54	122	, M	2										の5/4/2 シアの5/2	r.
6	-23			3									29	222	r.
9 7	-21	170	in.									5°	59	4504 0420	3
ţ	-16	161	17									0.0	10	2222	m
4	-12	151	41									57.10 7.40	30	~~~~ ~~~~	-14
4	- 10	162	5									£7000 \$4000	*	1226 4706	-16
33	Q.	160	5								90	0144 0140	34	ていない	
36	7-	-								60 10	61	300m	27	244 244 244	9
75	ţ	114	53							97 97	~	2004	9	1144 0.000	- 12
32	φ	117	53							329	-29	\$998 7177 708	-25	4000 4000 5000 5000 5000 5000 5000 5000	-19
3.0	0	133	53							11 × 4	-36	\$0.00 \$1111	-39	6 4 Pub 64 Pub 6	9
6	6	155	53						<b>S</b>	2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-36	8-41-0	-22	0 × 3 1/1	2
26	6	169	53					95	65	111 5450 5400 5400 5400	-29	240	17.	は な な は に	N
24	5	200	43					867	53	156	-37	1, 11 2,0,0,0	-24	7,500	- 21
22	3	134	7.4					చుత్తాలు గురుగు	5	11. 57.00	-33	1 441 1441	-10	4000	0
20	#	72	20					4400 4400	15	1111 144 155 156 156 156 156 156 156 156 156 156	-22	#60H	9	4000	33
18	8	53	51				13	1138 128 128 128	-23	25 M	•	40.40	4	SEME	62
16	8	49	51			62	15	4446	-48	1 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	- 2	1244 1444 1444 1444	•	<b>BUND</b>	34
14	40	113	3;			47	27	4830 1111	-38	4144	r	Photos Tipos	13	かっている	ų,
12		110	51			\$001 970	37	4000	-35	77	M	30±0 0411	7	4W 0004	28
	8		51				30	4 5 W W	-31	11 1 1000		4 0000 HHH	6	00/4	σ
•	7	61	22		77	ທູກທູນ ທູກຕູນ	16	4034	-15	12. 17. 20.		444	6-		6-
	-2	52	52	22		くちまり		•	-2	44 4400.00	12	3044		H 10	-27
4	0	7	5					ተ ውእውጥ		स्तरू		#1000	-15	1 1 1 1 numbr	-29
~	-5	31	51	* 6554 2007	~	2449	3	₽ <b>45</b> 4	12	&2.44 \$2.44	P)		•	44 1 5000	ş
6.00	9	30	51	11273	91-	111 444 846M	-35	1111 80000	<b>(*)</b>	400 000 000 1000	76	111 1100 1100	7	400t	۲
	MEAN	STOV	Z			4444 4444	20	೧೯೮೪ ೧೯೯೪	30	2000 2000 2000	9	7424 N300			ē

\*\* MULTIPLY TABULAF VALUES BY 0.01 TO OBTAIN CORRELATION COEFICIENTS

Table A1. Zonal Winds From the Surface to 60 km at Ascension Island (Cont)

		;	2 6	2 2	) (	Ţ.											
		•	0 0	3 2	,	u •											ž
		4		3 2	, h	÷										22	
		ű	1 7	112		2										~5	. 4
		ů	٠ ۲			<b>t</b>										200	
		ü	3 .	116		;										27.00	
		47	? ?												52		
		4	•											2	£	4440	1
		4	3		4	;								30	31	404 0004	9
		4		119	75									5679	45	440 490m	-13
92	10	4	. "	151	3	;								47400	21	<b>ಎಎಎ</b> ಎ	- 62-
OCT 1969-1976 T +		20	1	174	3	•							91	n4 noon	th th	# # P	-35
8	11 2	36	-	170	34							96	20	できた	~	1 1 1 W	-35
0CT ST +	RS ABOVE SEA LEVEL DF OBSERVED VALUES DEVIATION OF VALUES TIMES - VALUES AT EACH ALTITUDE	35	7	156	54							<b>6</b> 9	45	7557 7657 7657	17	4100	-33
FOR O ND NEST	A LEVEL VALUES OF VALU	32		138	35							24.5	+4	00000 00000	-15	1111 7475	2
AIRS OF LEWELS F ASCENSION ISLAND ST WIND M/SEC	ABOVE SEA OBSERVED 1 VIATION OF	30	-	112	5							500 € 700 €	-37	SUMP Sump	9	Mada A	9
F LE	KIRCOMETERS ABJUE AVERAGE OF OBSER STANDARD DEVIATI NUMBER OF VALUES	28	•		53						51	NEWS PUNNE P	-63	4040 4014	17	としてて	.+
PAIRS OF ASCENSIC EST WIND	ERS 0 0E 0 V	56	-12	151	Ţ,					6	٧	1921	-53	25 20 40 20 40	1.6	24m4	45
σģ	KILCOMETERS AVERAGE OF STANDARD DI	24	-11	172	51					9.0	-15	1000	-58	1 1 2 2 2 2 2 2 2 2 2 2 3	15	4 500 60-60	41
NA AT	AVE STA	22	9	159	51					470 740	-38	1727	-39	1 40%	23	See sees	24
ATIC	KN MEAN STOV	20	7	109	53					のアワコ	-56	5523	-25	401 0400	56	2450	-50
CORRELATION Eas	2 0,	18	7	41	53				4	394 394	-28	1111 NO.00	0	4004	31	W4W 600M	-28
ŏ		16	3	51	53			27	11	מיאסאי	-2	1 1	9	11 1041 0004	9	1040 1040	-23
		**	13	8 8	53			10.1 40.3	*25	11 4414 8400	62	2388 2388	•	1111 6000	7-	3407	~
		12	3		53			137	9	नंन	15	4 30M	9		-12	4000	•
				7.4				240m	12	4400 4400	m	1111	ę.	11 NONO	F)	41	er er
		9		09 0								1111 4444 7001					
				20							•	1 1 1					•
				95 (							•	20-173 1 जन					-15
		••	Ť	3	ĸ	9 60 M VI	2.6	4440	32	9000 <b>0</b>	-26	NGW O	-	3*27	25	14 L	- 20

\*\* HULTIPLY TABULAR VALUES BY 0.81 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island

ORRELATION AT PAIRS OF LEWELS FOR JAN 1969-1976		
Z		·
7		5
ã	_	8
S	ž	S
핕	S	2
<u></u>	7	-
Ľ.	ASCENSION ISLAND	NORTH-SOUTH MIND M/SEC SOUTH +
S	ä	Ī
ä	Sc	ž
ã	_	š
Ā		Ŧ
š		2
Ξ		
3		
8		
0		

		_													
58	۲	125	30												2
96	†	152	39											75	36
7	iù.	133	m											200	2
2,5	φ	110	4											<b>600.50</b>	د
20	9	4	<b>7</b>											7729	ت
4	-	2	43										66	<b>513.40</b>	- 30
4	\$	0	4									67	7	1111 40000 04044	
*	۳	30	4									31	0	1 400	
42	?	63	4									340	-18	700r	3
9	7	65	ņ									90M8		4055	7
38	**	5	*;								\$	4400 VWWV	-4		56
36	~	4	47							2	53	2777	16	MKK44	22
34	+	4	7							4.4 010	53	2005	16	ಳಿಗೆ ಗಬ್ಬಗಗ	~
32	0	7	43							1.25 2.25 1.25	-39	797	16	2437 2437	\$
20	•	4	t M							111 111	64-	1 1 1 0104 01040	-16	2007 2007	-18
28	7	36	. <del>.</del>						19	00K0	22	4 4 4000	~	1 701	-31
26	2.	32	43					વ	-31	9874 111 111 111	•	4000 4000	•	79NG	477
24	•	25	4					79	#	0.4.0.4 0.4.40.4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	53	30554 5055	ķ
2.2	-	21	<b>6</b>					क् लन्न ।	5	१० जन । सन्दर्भ	#	こされる	31	4000 4000	-23
50	0	22	4					#### ####	•	3000	15	からろり	•	2222	5
10	7	22	4.3				7	199°	N	9479	-25	⊕0 <del>,⇔</del> 10	9	No su	-
16	7	38	*			10	- 37	4044 6019	4	1110	-19	1010 1010	m	MH9H HH N	•
	7		4			97	-17	440 7867	?	1 41 MOMIN	-21	1 I 2010 2010		40° 0 €πωφ	•
		42				AW.		*****	71	#1-0g	~	4140		PH PH	4
		3.9					•	487°C		41, ~		474		4400M	
		31				•		4877 4000		•			•	100°	~
æ			4	<b>~</b>		• •		N#04		400		•	-24	71	-24
*	٩	25	4	4	-20			11.0 20.0				1 I 0444W 660W		• •	126
C <sub>2</sub>	0	17	<b>F</b>	\$ 11 \$ 11 \$ 000	-28	1.00H	15	noso	-2	2400	ው	40H	*	444	5
976.	m	115	4 2	14 5 1.4000	77-	avan I din I I	17	to a to	•	 ಬಹೆರವ	۳	04 t	-	9000 111 11	-19
ž	NE AN	STOV	z	0140¢	70	೧೯೩ <u>೦</u> ನಗನನ	50	0400 0000	30	24400 24400	9	4454 0450	20	たいないない というような	99

A STATE OF THE STA

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

NORTH-SOUTH WIND MYSEC SOUTH + ASCENSION ISLAND

			_															
			58		96	,	;											70
			56	-	ģ	4											22	9
			5.		. es	3	;										68 68	•
			52	100	50	, e	:										2 2 2 3	<b>3</b>
			90	7	40	. M	;										- PENO	٠
			ş	7	50	2	:									36	200 P	7
			\$	7	47	3.8	:								<b>6</b>	5	2011/2 2011/2	-33
			<b>.</b> ‡	m	36	<b>60</b>									Š	23	11	÷
			42	3	4	3.8									თ <b>ა</b> თ	<b>m</b>	4000 6604	-18
	5	,	9	~	61	8									OFFIG Name	*	000M	
			€) P)	٥.	4	36								3	40.00		81 0 6408	æ
		I TE	36	~	9	38							q	#			NEWO PENDO	14
Ē	ES	EACH ALTITUDE	34		37	3.8							25	0	ب د ا	16	COMPAN)	÷
,	VALU	EACH	32	7	750	36							357	~	mund mund	9	2223 2723	?
SEA	WED.	A F	36	2	32	3.8							uebu uebu	*	00+0 00+0	6	0 40V	==
KILOMETERS A33VE SEA LEVEL	AVERAGE OF OBSERVED VALUES Standard of walles trues	NUMBER OF VALUES	28	?	24	3.7						13	4t 4t	*	-4+10 patron	•0	Mron	<b>1</b>
RS A	05.0	, <u>Y</u>	56	7	31	30					•	-19	さられ	-1.2	I I NP	16	uama	9
HET	MGE	ERO	24	-	21	*					33	-10	****	-25	I MA	-	W 11 0	m
KILC	AVER	NUN	22	**	5 8	36					41 P	~	Whom 1117	16	numano 141	٠,	1 4014 4 304	45
ž	MEAN	2	02	0	25	37					40.1 0.040	ď	0030 0030	- 12	1070	42	: : ::::::::::::::::::::::::::::::::::	11
•	¥ 6	i	16	•	21	90				25	4 1 4 0 1 0 0 0	*7	4444		4000	13	nema nema	~
			91	ç	53	30			25	3	Mack	7	<b>M</b> 400	N	2772	17		<b>4</b>
			*	3	a N	38			44	-17	3004	m	2822	-31	1 40 1 40	•	44F0	~
			12	1	9	3.6			644	-13	100 1 NOWW	20	1000	-29	**************************************	17	2222 225 225 225 225 225 225 225 225 22	į,
			9	7	4	38			ውስጥ ! ውቁስጥ	?	1144	0;	กพดก	9	20044	<b>5</b>	7475 4660	52
			•	4	32	3.8		55	604 600 600	*	41 NG	31		4	1111 0444	22	4440	96
			Φ	0	\$6	38	19	۲	N2-40	13	4044	16	80000 80000	?:	ansier.	15		-16
			4	7	26	200	10. 1 440	-12	1 1.1 4444 6600	Ç	4 03 4003	•	HOOS NOTI	'n	1004 4004	-19	400h	*1-
			~	-	67	ñ	* 441 000	-33	200m	11	4454	Ŷ	4380	-25				٠ ٢
			• 010	<b>P</b> 7	91	30	01.01 2020	7	gama II	7	こっこっ	11	040 11 55 47	07	000 g	-33		-21

O COURT O CAPE O COURT O COURT O

FN

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island (Cont)

1969-1976		
3		Ŧ
ş		Sou
VELS	ASCENSION ISLAND	HISEC
P	NOIS	ONIH
PAIRS	ASCEN	NORTH-SOUTH MIND MYSEC SOUTH .
4		Ė
JORRELATION AT PAINS OF LEVELS FOR JUL 1969-1976		ÖN

KILOMETERS ABOVE SEA LEVEL

ž

			99	-	163	30												
			58	1	116	#) \$												4
			26	†	35	Ç,											99	ň
			J.	m	*	53											**	7
			25	7	72	53											120	•
			20	ĩ	92	53											1 1 1 1 1 1 1 1 1 1 1 1 1	ģ
			3	-	92	رن دی											Service	# P -
			9	4	2	53									26		21,44	-37
			<b>.</b>	M	<b>*</b>	53									ል ው			•
			~	4	99	53									210	-15	OP TO	Ħ F
	_		3	N	40	53									<b>3040</b>		1967	56
	10 10	•••	80	••	39	53								÷	+40.3 1	17 13	##### 55000	13
	# I F	100	36	9	36	53							2	۲	64ma	-12	9779	# 2
S	.ues	ALT:	34	0	32	53							120	- 55	7557	75	2011	7
OF OBSERVED WALUES	STANDARD DEVIATION OF WALUES TIMES	EACH ALTITUDE	32	-	ţ,	53							1317	-1	7420	7	2211	-5
E0 1	Š		30	4	30	53							4011 CR-00	70	00 40 41 71	'n	ក្ខាវ។	<del>1</del> 0
SER	ATI	UES	28	0	26	10. h.						3.5	2014 20404	0	4500	<b>17</b>	9044	7
F O	0EV1	X .	92	7	5	E)					Ť	-27	9097		2000	-38	erres.	~
351	JARO	9	\$	0	53	4					1 m	m	en en	'n	30,00		TI HA	11
AVERAGE	STANC	NUMBER OF VALUES AT	22	Ģ	رب بن	÷					411 814	tt tt	414	-28	ភ្លុកកស្ព	-25	~~~ ~~ 11	-29
			20	0	25	20					810r	#		ş	#03 <b>0</b>	7	7977	31
HEAN	STOV	z	2	0	27	51				į	กมอเก	-13	4003	6	1 4 B 5000	30	1100 1100 1100	#P
			9	7	37	51			9	-23	50	ņ	on or	-15	#99 <del>1</del>	S.	0.000 440 111	-37
			3	7	25	57			340 GG	6		~	2000	-23		23	はいなる	
			12	**	96	27			401 040	+1.	0000 111	0	tions mili	-31	01454 1111	m	1000 1000 1000 1000 1000 1000 1000 100	35
			97		09	77			ಬ•ಀು ೧೮೮೪	•	では見び	4		-17	451	ţ	4004 1111	-28
			•0	7	9	<b>5</b>		4.0		-17	4000	-28	4000	_	7017	m	1 4 4 1	-11
			•	, 1	36	27	27	Ģ	よるよう	•	2004	15				N	OPH44 NPM III	-
			4	•	35	126	95	15	0h0h	~	M-drin.	30	901310	-13	(Springs)	*	0044 1 1 1 1	53
			^		. 52	. %	\$ 40m		41104 1104		900°	~	1 4 N	12	2003	11	0189 1111	25
							0.000											-

KH HEAN STOV

Table A2. Meridional Winds From the Surface to 60 km at Ascension Island (Cont)

			58	7	3	7												<b>5</b> 6
			96	7	61	°0											ž,	-16
			\$	#) i	29	± W											Q,Q	
			25	۲	2.5	2,											349	٩
			5.3	<b>3</b>	63	~											N-41-3	53
			4.	~?	66	š										53	2007	3
			t T	-1	92	4									59	7	+ WH2M	
			7	m	49	ř									36	23	9479	15
			5 4	~	14	5.									9	~	9944	12
JO.			6	9	\$	4									\$040 \$040	15	1. 3009	-11
-197	01 vi	i	e.	٦	<b>1</b> 5	ŗ.								23	30KK	7.		· -
6961	T I	700	<b>1</b> 2		37	ą.							<b>\$</b>	-25	OFF-OF	-4	2022	7
0CT 1969-1976 JTH +	EL ES LUES	EACH ALTITUDE	34	G.	34	2,4							119	ŗ.	- 	9	6426	**
F 04 50 U	LEVI VALUI F VA	EACH	35	7	39	7,							97 p	=	NN:01-	å	<u> </u>	•
ON AT PAINS OF LEVELS FOK OG Ascenstoy Island Nurih-South Wind H/Sec South	KILCMETERS ABOVE SEA LEVEL Average of Observed values Standaro deviation of values times	A T	3.0	ç	3.6	ų,							4r00	0	4011 พิตณฑ	11	tions Right	33
2 C E K	SOVE SSER IATI	. Uc S	85	?	*	53						-13	20-12	œ	割させる	97	7.5cc	23
S OF ENST	P.S. A. OF 0	F VA	9	0	56	45					16	4	SECUPI PO NO I	-14	* 0 8 A	16	4044	
PAIR ASC SOUT	KILOMETERS Average of Standaro de	NUMBER OF VALUES AT	7	7	34	11					99	- 13	1777	-13	844 1000	22	4010	2
AT RTH-	KIL OMETA AVERAGE Standari	ROM 3	Ç.	Ö	23	51					474 674	20	47.00	7	75.44 0 44.40	9	1 40°	~
CORRELATION NUR	KA MEAN STOV	z	20	0	23	<b>ئ</b> ر					\$2000 0		1403	16	1 1 44 8400	9	t i	£ 4
RELA	X # 10		1.8	7	22	5				;	€22.4¢	9	\$000 11	ď.	9737	'n	222 2007	-16
0 8			16	7	37	S.			24	- 15	4 44 00000	12	1020	2	amesa a	٥.	144	21-
			14	ĭ	19	5.			<del>د د</del> 445	-22	44204 ひちにゅ	-1.	2400	8:-	44 44 45	7	244 244	4
			12	7	76				557	110	一さな アログ 3	61	9000 1011	-24	1400 4004	Ŷ	1070	3
			10	<b>H</b>	7.	7			プラック マショウ	-10	4469 4469	4	2327	-13	4450 4450	5	7440	=
			æ	٠,	36	÷.		7.6	WW.F.S.	?	1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6	2000 2000 1 1 1	C)	これでい これがこう	-	4110	•
			٩	0	30	53	<b>8</b>	7.7	4 21	7	3-4-12 1-	1	~~~~ 1 1 여여 1 1	9	ろうかい ちょ	•	1	20
			3	7	2.1	53	30											
							207											
			6 20.	M	17	53	いつかき	\$\$ \$	MMMA HH II	?	HETO MM I	۳,	9467 4114	12	11 0 1022	유	3440 1 14	-18

3 ° ° 6 ° 8

MULTIPLY TABULAR VALUES BY 3.01 TO OBTAIN CORRELATION COEFFICIENTS

MANDO C MAND C MAND M WHAN C MAND C MAND C MANDO C

Table A3. Zonal Winds From the Surface to 60 km at Kwajalein CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976 KMAJA.EIN

					4	? ?	3 ;		y F											•
					4				•										5	2
					1				ç											* *
					2	;			;										W-20	
					6.5	: :			₹										D-0-1-4 DQ-NY	
					4		2		:									54	PA-100	
					9				:								•	2		
					1			*									- 5-40 - 60-40	6	SHAR	
					42	<b>*</b>		2									2004 12400		2020	
			5		0,	9												•	-NO3	7
			-4		38	•	171									96		9	OF/E-97	· *
			111	170	36			3							2	22	430N	2	e Orienta North	
÷	i L	ω	OF VALUES TIMES	EACH ALTITUDE	35	•	179								<b>₩</b>	53		4.	3011	
MEST.	KILOMETERS ASOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	¥ .	E ACH	32										80 (Jan)	22	**************************************	. 23	\$0.77	9
935/h	SEA	K K K		A ?	30	#	163								Garana Suction	<b>3</b>		•	and	
	ACE	35.5	STANDARD DEVIATION	VALUES	2.0	•	124	-4 U-						•	Øneg NØNd	•			3702	
NI NO	RS A	P.	054	¥ .	56	~	3 2						69	3	7400 01-00	.29	03NP 033P		*****	
(EST	HETE	Z UE	IDARG	NUMBER OF	42	•	1.36	ដ					80 1 80 40	- 36			NAME OF		221 i	~
EAST -WEST	KIL	AVE	27.2	ž S	2.2	7	141	91					525				200.0		30 I ROAM	-12
ũ	± ;	HEAN	STOW	z	20	ę	110	51					2-10N		0303				New !	
	- i	Ē	'n		¥	7	82	4				33	SHOW SHOWN	.20					as university units - each	
					16	•	8 2	51			3	?	NE E	2	SHOWN CHONN	36	DU DUMP	*	COUNTY OF	4
											E.F.	-	25.0	5.2	ALCON A	9	and and	-4	MM200	6
					7	ç	8	51			8420 8400	. 13	370h	9	2412 Or 93	<b>5</b> 7	2000 F	0.7	1 -4 -450 EV-10-0	3
							£				食でより	- 17			1024 0257				45/3h 140/4	
							22					•	2120							
							<b>6</b>		4	4	でままる	92.	6580 6580	82	MOR-4 N +	4	NU-BH HAMM TILL	17	ereo V	e n
							5		10 M		PATE	74	aga Ward	~	9000 111	- 23	\$1110 \$1110 \$1111	-12	#####################################	<del>.</del>
					•	9	3	27	a const	2.5	4-40PP	9	**************************************	7.5	Program 1 4 E	.23	######################################	-24	4490	ç
													1 1000							

99 as

and produced O constraint of the same of t

\*\* MULTIPLY TABULAR VALUES BY G.O1 TO OBTAIN CORRELATION COEFFICIENTS

MEAU STOW

Table A3. Zonal Winds From the Surface to 60 km at Kwajalein (Cont)

CORRELATION AT PAIRS OF LEVELS FOR APR 1969—1976 Khajalein	EAST-WEST WIND M/SEC WEST +	KM KILCHETERS ABOVE SEA LEVEL	HEAN AVERAGE OF OBSERVED VALUES	STANDARD GEWLATIF" OF WALUES TIMES 10
CORRELA		¥	Æ	12

NUMBER OF WALUES AT EACH ALTITUDE

99	15	224	31												
58	15	238	33												95
56	17	136	#											35	93
24	91	521	4											98 38	3.5
52	12	166	96											2002	9
53	10	141	23											WQ.65W	69
3	^	134	20										99	2862	65
\$	4	113	20									ž,	89	272	61
44	O	102	20									77	45	200	22
4	9	107	50									ტტ <u>ო</u>	13	4442 6460	16
4.0	-13	87	90									7998 7998	9	9373	-5
38	-18	86	55								25	95mg	-20	200 C	9
36	-19	118	20							89	-18	1111	-11	4235 7235 735 735 735 735 735 735 735 735 735 7	#
34	-17	145	49							93 52	-23	1111 2005 4.083	+1.	1111	7
32	-13	155	2,							47	-29	\$55 55 55 55 55 55	-17	22222	•
30	-10	155	ą.							469.04 466.47	-27	1113 1117 1117 1117 1117	71-	4111 41111	7
28	9	146	ф .+						4	0.000 WQ-000	-24	700E	-14	11115 1275	~
56	9	113	<b>6</b>					93	87	8 6 6 1 1	-22	2545	9	9454	16
24	ı,	88	20					40	12	80 40 11	22	587m	28	332	35
2.2	4	121	4					95.5	-62	57.05 2000 2000 2000	33	0000 0000 1000	32	MATH GWWD	30
20	0	106	20					749 1074 1174	10-	1111 500 500 500 500 500 500 500 500 500	21	4444 0404	39	W444 W444	27
19	+	63	20				29	8. 12. 1 8. 12. 0	-66	4111 4404 4404	24	isr.	ī,	5777	-35
16	r	97	50			35	-15	1 11	-	00M0	25	22 119 139 130	24-	1111 4000	-57
14	σ	95	56			90 20 20	-	111 anno	14	O PMH	15	11 225 250	-36	2444	-60
12	æ	78	50			040 040	7	11107	-16	2027	10	1622	-16	-21 -21 -28	140
•••	9	•	٠.											4004	
								24 117 127							
								111 6440 6404							
3	۳	39						W W 1							
N	9	20	50	\$ 547 242	-31	114 140 150 150 150	22	9000 6000 6000 6000	-21	1111 2000 1111	-30	huna	٥	MUSE	12
9 80	9	22	20	roan Sentro	-11	3445	33	540H	0 4	NUMBER OTHER	-15	n tro	-13	000K	-39
•															
ž	¥	S		044PD	10	4444 6460	20	2500 2000 2000 2000 2000 2000 2000 2000	30	WWWW WARN	04	4444	50	<b>30000</b>	99

Table A3, Zonal Winds From the Surface to 60 km at Kwajalein (Cont)

			-4	ı,	m											
		99		165	M											
		58	M.	165	35											
		56	-13	107	36											3.6
		74	-23	152	33											4.4
		55	- 3¢	145	40											125
		3	-35	161	3											P. 24.44
		\$	-37	176	4										85	111 P
		\$	-36	165	45									87	20	112
•		<b>*</b>	-35	157	7,5									35	52	5597
		4	-33	139	<b>\$</b>									4 44%	56	MINON
, ,		7	-33	125	4									8769 2669 2699	21	7117
-197	10 12 10	35	-35	115	t t								98	977.69	25	1722
1969-1976	IS .UES TIMES ALTITUDE	36	- 30	136	75							.7	55	£600.4	54	8404
a + 7	LUES VALUES VCH ALT	34	- 28	91	41							35 75	r.	± 1 € 1	-12	0111 01134
FOR J	VALUE JF VAL EACH	32	- 92-	111	45							\$0.6	.37	0.444 0.444	- 53	134
N 0 M	~ ~	36	-22	123	ŧ							2000 2000 2000		4454 608	. 99-	1111 10000 10000
ט וי רי	DE VIATION PEVIATION VALUES AT	8.5	- 61-	22	45						93	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 54-	9444 94109	9.4	4+0+
A A S A S A S A S A S A S A S A S A S A		92	15	1 921	45					96	96	WE 45	t t	9144	. 63 -	79
ac w	1GE 01 JARO (	, \$	- 774 -	191 1	45					8.0 9.03	63	801.04 601.04	- 39 -	35000 04500	. £2 -	1734
AT PAI T-WEST	AVERAGE Standard Number of	22	-12	61	42					643	20	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- 91-	0400	- 64	2476
TON A EAST		20	-12 -	45	54					55 1 H	18	46556	19	7641	14 -	0.4504 0.450
CORRELATION EA	MEAN STOW	9	8	96	42				36	9088	125	4980 4080	35	3439 345 345	- 02	7700
CORF		16	ů	99	42			16	80	040W 040W	- 97	2000 2000 2000	11	0 <del>00</del>	M.	8988
)		4	s,	95	7 4 5			£8	ñ	7000 0000	57	1117 150 150 150 150 150 150 150 150 150 150	#28	127	-21	1271
) •		2	m	72	77			9.44 9.60	ò	######################################	74	11 4046	-23	10.70 m	- 19	5000
		10	0	0 9	t 5			2402 2402 2402 2402 2402 2402 2402 2402	;	2111 2100	46			5000 5444		
1		8	2-	<b>‡</b>	45		9,6	1430 1430 1430								
		ø	Ň	† †	<b>†</b>	99	4	3317	12	41/40 R	?			4777 4774	4	
		4	-1	6 8	4	20	2	4444 3007	w	10000	.21	1. 25. 16. 16. 16.	31	2232	14	
		~	20	40	45	* m44 * m44 * m44	-35	3000	20		-38	118 39 30 30 30	36	80 0 80	21	*10,08 8
		600.	î	7.2	<b>6</b> 2	3413 0110	# **	111 +04 3095	23	24 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C 5 C	-22	20 44 44 44 44 44 44 44 44 44 44 44 44 44	3.1	0.73°C	6	11 107 108
		¥	w	STD#	z	<b>ମ</b> ଏହେ	10	2798 नम्मन	20	049e	30	വച്ചത സമ്പന	0,4	4444 04040	50	できる とうもの

 \*\* HULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

17 -5 -12 -5 -13 -6 -6 -31 -25 -17 -112 -1u 20 15

Table A3. Zonal Winds From the Surface to 60 km at Kwajalein (Cont)

9261-6961		
004		HEST +
FOR		KES
STENETS	CHAJALEIN	AST-HEST HIND MISEC
P	Š	CNI
PAIRS	Ÿ	IEST H
AT		7
CORRELATION AT PAIRS OF LEWELS FOR OCT 1969-1976		EAS

E Y	
MEAN	AVERAGE OF OSSERVED VALUES
STDV	STANDARD DEVIATION OF WALUES TIMES 10
2	NUMBER OF VALUES AT EACH ALTITUDE

		7													
53	37	191	33												ď
56	30	197	ň											56	9
ņ	54	213	36											783	75
52	22	1 65	36											128	9
20	25	143	36											4445 6445 6445 6445 6445 6445 6445 6445	44
\$	25	139	36										37	64257 64359	ī
9	18	157	36									35	81	7450	2.0
3	7,	186	36									90 20 20 20 20 20 20 20 20 20 20 20 20 20	20	0000 0455	ţ
4	9	210	36									44K	53	なっても	0.7
4	0	232	36									324	37	2003 2003 2003	0
3.8	ų.	505	36								46	3437	23	74M2	ť
36	-10	174	36							6	62	34.36 54.36	11	400p	72
34	-12	158	36							\$17.	5	277	7.5	ままる4 ちょのの	77
32	-14-	140	36							8 7 1 8 1 8	11	2888 2888 2888 2888 2888 2888 2888 288	19	8242	ú
30	-15	131	36							8000g	-16	で よれる なみれ	54	5074 0000	C
28	-16	124	36						73	W 1 10 40	-36	T 40M	3.8	1000C	4
56	-16	137	36					83	32	TIII MONH FMON	-	0.60 KV	7	ひ 4 4 W G の り し し	
<b>5</b> *	- 13	134	36					732	17	2000	-39	1010 2010 2010 2010	33	440 740 740 740 740	22
22	6	113	36					0000 546	2	1000 1111	-23	2772	4	O CO CO CO	
20	Į,	82	35					366 366 366	- 14	7537	m	40H	64	4m4m	11
18	7	ŝ	35				45	<b>********</b>	-45	111 401 7000	~	مراره	12	20,004	
16	m	93	36			3.6	21	23.00 23.00 24.00 26.00	-14	122	-13	7772	25	222	u
1,	11	96	36			25	49	22667	-19	35 PM	-19	32225	33	200 4010	~
12	*	ş	36			72 51 32	<b>61</b>	24 99 158 99	-19	111 2002 1005 1005	91	55000 55000	51	35 25 11	*
7.0	M	72	36			24 380 24 380	53	40m1	-16	251 251 111 111	2.2	500 de 100 de 10	5	15 34 D	4
•	Ŧ	25	36		99	2004 7405	32	0959 0959	13	1425 2225 1425 1425 1425 1425 1425 1425	5	8222 8462	37	2000 0000 0000	7
9	7	‡ ‡	36	11	51	2000 2000 2000	46	444M 404M	18	##40B	-23	17000	52	887 867	۳
4	9-	38	36	<b>3</b> 6	27	2000 4000	56	1975							
~	~	7		* 244											
. 38.8	•	2.1	36	4414 00400	-27	111 WW4 N40N	+33	0400	~	40 4 40 4	92-	1111 0040	-37	4040	. 22
¥	MEAN	STDV	z	0140B	10	0.7일 <b>학</b> 대략대략	50	2222 2428 2428	36	NAMW NAMW	0 7	1414 04040	5.0	74.03 40.00 10.00	6.0

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein (Cont)

KWAJALEIN North-South Wind M/Sec South +

¥	KILOMETERS ABOVE SEA LEVEL
MEAK	AVERAGE OF GISERVED VALUES
STOV	STANDARD DEVIATION OF VALUES TIMES 10
z	NUMBER OF VALUES AT EACH ALTITUDE

60 -2 82 31

<b>4</b>		1 0		n.											
20		, n													29
														2	36
2														#0 9M	2 5
5		. 62												265	1 #
50		Œ		2										2004 2004	7
*0		, 7	ŭ	,									80	యినేం	٠ ٨
4	m	57	. ינ	3								59			
4	~	, P.	5.0	<b>.</b>								84	9	1271	*
45	-	51	25									44.4	-11	ರಾಜ್ಞಾಗ್ರವ	. ~
0,	G	1	5.0	:								4444	M	ままま	, <del>1</del>
#0 #7	د	3	20	,							3	1 H 0400	12	ona ona ona	٠.
36	+1	9	50	•						m	12.	စာက်စာဒ	4	HARS	66
34	0	30	0°	!						£12	7	4044 4044	-11	1 1 0 1 1 0 0 0 1	Ñ
32	G	5	64	:						8 m 1	٠,	P = 40°	12	4504	9
36	+4	33	6 4							กกเม พกรษ	16	ֆատա	#	~20°	92
23	~	31	đ.						21	omas	-	-044 -044	-22	444N	9
56	*1	22	6 7					16	-29		ß	4553	52	2020	27
\$	-1	92	90					127		man's		30m#	-17	2420	9
22	0	56	4					\$00 0	m	5404 11 1	-30	7855	9	2000	-1
20	+1	54	20					ůvř.	52	7490	~	TINE.	- 12	159	
18	7	28	20				-14	1556	0	N979	N	จพุทธ	-11-	254n	ģ
16	7	52	56			^	~	2422	11	030M	-14	2011 2011	32	2010	9
14	7	92	3			40 60	10	3701	m	7797	7	23,82	-16	9mes2	ij
12	ď	61	20			7252	10	2000 2000 2000 2000	4	7000	-15	100	- 34 .	5042 5042	11
10	7	53	20			2000	~	40H	2	9140	13	941 ±	10	247%	- 5
•	0	47	20		62	## W# ## ###	4	2722	Ŋ	7755	ę	FWW8	. 71	STANS TOWNS	42
9	٥	M M	20	EU EN	52	ಗಳು ಗಳನ1	-11	WV40	6	400 <del>4</del>	34	ಕ್ಷರ್ ಕ್ಷರ್ಥಾಣ	9	· 없네다	12
4	0	22	20	15	=	040M	*	4410	\$	napa a	-2-	#504 -	13	ままでまるとのと	9
8	0	22	50	5617	4	24 L 4576	4	กัสเกม	19	71110 6	54	มเกลล์	-10	01.40	۴
						4 N 40000									
-															
ž	HEA	STD	z	いまのむ	10	4444 0444	50	244B 2000	30	MWWW MWWW	40	1112 0110	20	<b>ՄԱՄՄ</b> <b>ՄԱՐՄ</b>	89

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION CCEFFICIENTS

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976		
<b>7</b> 06		7 H T
F03		Ř
S 13A	NI.	NORTH-SOUTH WIND MASEC SOUTH
F C.	KHAJALEIN	IND
S	XHA	I
PAIR		-S0UT
AT		Ė
NO		Š
A.		
CORREI		

STANDARD DEVIATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE

MEAN STOV

KILOMFTERS ABOVE SEA LEVEL Average of observed values

66 1 122 33											
* 5 & & & & & & & & & & & & & & & & & &											8.
36 3 36										F-	- 29
34 75 45 37										4.0	-37
,										152	-33
2 , 4, 4										£220	-26
\$ 4 6 ° °									46	1133	-5
יה ל מי ל ל מי ל מי								5.3	18	40'0E	-17
2 m 4 c								77	•	1 1 100000	-10
4 % t								244 478	-24	140 2700	90
\$ 4 4 2 4 2 E								111 2404 404 404 404	-21	22501	Ŋ
38 C C C C							92	1222	σ	40141 NWRV	-10
36 47 47						~	-38	25 25 25 25 25	13	1977	M
4 4 4 4						P 4 4 -	-17	47 040 040 040	1	# N H H H	1.8
32 6 34						340 540 11	7	7944	-19	5 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	53
4 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						#### ####	N	24504	₽.	101 100 100 100 100 100 100 100 100 100	11
28 1 13 4.2					2.5	11046	-	カイロシャンション	-23	1242	~
6 4 3 5 4 5 5 4				4	-19	370	27	2121	-26	111 N400	19
24 1 18 42				-37	-25	#201 1000	м	សត់ខ្	22	277	12
2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				2002	12	O CO	0	41 1	-16	111,	2.8
22 22 42 52				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7.7	5120 2	N	24.65	Ÿ	eren i	• •
81 0 0 57			44-	¥442	16	1, 1,000 3,1	1	443%	11	2017	S.
16 0 65 42		<b>.</b>	-14	47 8800	. D.	150 177 177	30	1 t	6.	1 11 8243	-16
14 -1 69 42		57	18	0.00 EC CO	1 + 0	ないから	10		*	1170	7-
12 0 0 5 7		7 M 4	7	ວຸກຸຄອ	145	1 2 2 2 3 4 4 5		4947	-10	1 1 1 W	I.
11 138 42				म्पूर्वा । भूग्यमुक्त		445E		•	ı	1445	
6 4 K 23	in S	1 4000	15	50.55 30.55	14	9436	36	7993	-33	2007	6
6 4 4 S	36	2427	~	1 20000	22	2444	,	45,52	-42	100 K	13
4 0 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	88 4 4 4	4847	-12	11 12964 111	+	4 HH	-15	01140 00117	9	1 404	•
2 0 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	* M41 * M41 * W60	3010	15	1 1 1000	-11	1177	•	11 2002 2004	15	2222	-23
. 108 1- 1.0 4.2	ሳህ/ነ ተመለው ተ	21 1 1200	2.2	246.4 24.4	-12	44 1 02004	-7	1 4 0000 4 0000	-16	, 9 0 0 0 0	3
MEAN STOW	01408b 0	ひょう ひょう ひょう	20	0.000 0.000 0.000	3.0	8888 8488 8488	0,4	#### #################################	20	でいらい かみやめ	99

Table A4. Meridional Winds From the Surface to 60 km at Kwajalein (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976  KHAJALEIN  NORTH-SOUTH WIND H/SEC SDUTH +  KM KILCMETERS ABDVE SEA LEVEL  MEAN AVERAGE OF 035ERWED VALUES  STOW STANDARD DEVIATION OF VALUES  N NUMBER OF WALUES AT EACH ALTITUDE
---

9	7	66	31												
5.8	o	113	33												29
96		1 96	<i>ž</i> .											65	1,4
5	~:	77	3.											num † i	3.1
25	<b>r</b> )	<b>1</b> 9	36											888	- 15
26	•	83	35											127	-21 -
æ †	<b>‡</b>	29	36										56	S 20 6 2	- 22 -
9 7	~	9	36									52	٠.26	2125	-1
<b>.</b> 7	O	80 10	36									15.5	.5	\$01.3 11.4	32
\$	1	36	36									8,44 648	-23	22.42	37
40	0	4.1	36									1224	4 1	277	-16
3	a	\$	3								۳. چ.	こうごう	'n	44.2	-25
36	0	3.9 3.9								7	~	127	æ	কক্টক ক	-11
34	-	21								24		7027	-10	2000	-1
32	-	₹.	36							#100 100	6	74te	-10	ATOM ATOM	20
30	-	36	36							4004 1 404		P 1 P 0	. 2	UNMU MMH H H	-21
ç.	-	2.3	36						2 2	1111 2007	폎	21. 22.47	3.1	F-11/10	6
92	-	25	36					'n	-31	0040 111	15	4 44 44 44	-11	94 84 84 84 84 84 84 84 84 84 84 84 84 84	9
<b>5</b>	٩	r.	36					40	+22	4807	ţ	1 4144 0036	- 20	WMAR	1.5
22	۵		36					24		41 40	•	4114		4000	-12
20	ت	2,	35					17/17	16	4412	•	4970	- 25	W 1 1 44	16
18		31					-35	22.03	Φ	11 042 243	38	1799	-11	4044	-17
16	?	95	36			**	-11	2441	7	2.4	σ	1. 2.0.0 2.0.0	- 15		11
4	0	ð	36			224	-11	2042	-12	1 45 45 45 45 45 45 45 45 45 45 45 45 45	1	9007	-10	11 552 70	30
12		€.	36			110	-13	1 ed	-17		10	9900	- 17	•	32
10		64						960K							
•		55				400.1 045.0				•		•			
		45				ころう									-12
		23		ቴው የነው		40.45 0.144									-23
~	9	52	36	* 22 100 181	ъ	11 50 50 40 50	30	22 445	20	4541 5004	77	4004	-15	51.54 BRRV	-25
900	7	23	34	33	22	4 0,0/12	11		9	1700	4	4 H	7	1000 2000	16
•	_	_													

\*\* MULTIPLY TABULAR VALUES 3Y 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island correlation at Pairs of Levels for Jan 1969-1976

				S 10	
				Ĭ	,,,,,,
V.A.	WEST +	LEVEL	VALUES	STANDARD DEWLATION OF WALUES TIMES 10	CONTRACTOR STATE OF CARESTON S
WALLOPS ISLAND, VA	H/SEC	KILOMETERS ABOVE SEA LEVEL	AVERAGE OF GISERVED VALUES	TAFION O	
WALLOPS	EAST-WEST WIND M/SEC	METERS A	AGE OF O	DAKO OEW	417
;	AST-H	KILO	AVER	STAN	
WALLOPS ISLAND, VA	w	ž	HEAN	STOV	3

1																
1	79	92	313	52												
1	56	99	282	34												36
N				ţ											93	2
N	54	29		;											96 89	~
N				7,											P000	ŧ
N	S			ţ											40000	2
N				‡ *										96	<b>₩</b>	73
N	\$	20	306	4									76	69	646 A	69
N   1   12   21   24   6   10   12   13   26   27   26   26   30   32   34   35   36   46   46   47   47   47   47   47   4	\$ \$			<b>\$</b>									0.40 (7.40	90	0.00M	25
N				<b>†</b>									<b>0.00</b> <b>0</b> 000	29	7996 7996	5
N				ţ									6489 6465	20	こうけいこ	39
NA   1   12   21   26   34   31   33   28   23   15   11   11   14   16   19   24   26   31     NA   3.4   61   90   123   150   120   139   96   90   76   74   81   95   140   17   19   24   26   31     NA   44   44   43   41   29   25   22   21   26   21   19   22   42   43   44   44     NA   44   44   43   41   29   25   22   21   26   21   19   22   42   43     NA   44   44   43   41   29   25   22   21   26   21   26   21   26   21   26   21     NA   44   44   43   41   29   25   22   21   26   21   26   21   26   21     NA   44   44   43   41   29   25   22   21   26   21   26   21   26   21     NA   44   44   43   41   29   25   27   27   27     NA   44   44   43   41   29   25   27   27   27     NA   44   44   43   41   29   27   27   27     NA   44   44   47   47   47     NA   44   47   47   47   47     NA   44   47   47   47     NA	₩ 9			ţ t								6	\$-000 \$ 40004	36	まちらままけられる	9
0.15 2 4 6 6 10 12 1.0 16 18 20 22 24 26 28 33 32 34 34 44 44 44 43 41 29 25 21 2 6 34 11 11 14 16 19 24 28 28 28 28 28 28 28 28 28 28 28 28 28				ţ							95	94	വ പ്രവത്ത വ	13	4440 4044	12
0.15 2 4 6 6 10 12 11 12 11 14 14 16 19 24 14 14 14 14 15 19 24 14 14 14 14 15 19 24 14 14 14 14 14 15 19 24 14 14 14 14 14 14 14 14 14 14 14 14 14	4			<b>‡</b>							0.40 0.70	22	0440 1040	4	N N N N	16
015 2 4 6 6 10 12 11 16 11 11 11 11 14 16 18 19 19 19 19 19 19 19 19 19 19 19 19 19				<b>‡</b>							266 200 200	68	6 M M A	;	7775	9
015 2 4 6 6 10 12 11 16 11 11 11 11 14 16 18 19 19 19 19 19 19 19 19 19 19 19 19 19	33	61	199	3 3							70°07	60	3-67 1 416/0/0	77	4077	•0
Name	82	94	17.	m						96						
10.5 2 4 6 6 10 12 1.0 2 6 2 2 1 2 1 11 11 11 11 11 11 11 11 11 11	56	4	140	45					ኒ ኒ	68	พระสม พลสม	<del>1,</del>	W T I	•	3002	σ
015 2 4 6 6 10 12 11 16 12 12 12 12 12 12 12 12 12 12 12 12 12	5	#	98	25					60 P)	75	<b>ტიკი</b> ჭ <b>ტე</b> გად	33	a B W W H	7	7=92	σ
10.9	22	#	81	13					ರಾಖಕಾ ಬಹುಬ	30	0000 0000	4	1400 1400	-11	2476	113
015 2 4 6 6 10 12 10 10 10 10 10 10 10 10 10 10 10 10 10	20	#	*	77					8888 888 888 888 888 888 888 888 888 8	17	4400 8800 8000	2	57.0°		9279	9
015	8	ដ	76	36				ۍ ۲,	2000 2001 2001	21	RATE OF THE STATE	36	2527	7,	# # # # # # # # # # # # # # # # # # #	÷
104 N	9	23	99	21			7.	\$ 5	ひたよら ひたよの	20	24400 3000	15	**************************************	6	4 4 5004	C)
0.15  0.15  0.16  0.17	ŝ	28	96	22			60°	76	4000 4000	27	3252 3253	52	<b>8003</b> ~	~	ក ភូមិស្នាក្	6
*** **********************************	12	33	119	25			&00 %%!	25	tons tons	36	24 2000	36	44 0400	-	111 MQ30	7
**************************************	70	*1	120	53			7.007 7.005	61	ららる らてなら	4	11 1W 8648	28	0 4130	a2-	2441 1441	4
**************************************	•	Ħ	150	<b>1</b>		91	<b>⊕</b>	12	3225	32	400H	30	014 024 024	4	សកល្ខេស សកល្ខេស	32
2 3 4 1000 to the color of the	Φ	28	123	M T	36	2	\$400m \$4144	12	444 844 844 844 844 844 844 844 844 844	56	NWWW VOVO	33	ひままれ これまれ	9	೧ತ೧≯ ∵ೆಗಗಗ	56
E B Z									,							Ę
· NAC N	~	12	61	3	# #0:00;tv fv:00;tv	31	37,25	134	11 10 10 10 10 10 10 10 10 10 10 10 10 1	1.6	4444 8994	18	చే <b>ంచ</b>	0	442 443 443	28
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	.015	-	ņ	<b>3</b>	MWWW R-MHW	7		-18	4820	31	4HOM HA	н	กมหนา	9	111 0	0
	×	MEAN	STDV	z	೧೨೮೯	10	<b>ਪ</b> ਵਿ <b>ੰ</b> ਦ ਜਜ਼ਜਜ਼	20	0498 0498	30	NJ-UB MMMM	0.4	4444 (1400	50	ሲኮሲሲ ሀ ‡ጭፅ	99

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont)

		09	3 E	30												
		. 58 50	50 1	39												96
		96	, 6. N	4											85	92
		. J.	25 2 25 2	53											Ø*39	19
		52	6 56 1	53											0.60.60 477.73	62
		20	10 61 1	53											MANN	92
		40	12 2	25										88	7562	22
		9 1	55.5	53									#6	36	るできた	23
		3	1. 1. 1.2 1. 1.2	25									£.	98	77.00	99
		2 :	15	53									40°	7.8	6673	58
ú	-	0 !	15 135 1	53									4497	29	ຈາກຸດເຄ ດະອິດກ	6,4
1969-1976	01 55 10 10 10 10 10 10 10 10 10 10 10 10 10	3.8	136									46	67748 65.579	9	\$20H	<b>*</b>
1965	EA LEVEL D VALUES OF VALUES TIMES T EAGH ALTITUDE	36	54 E								6	88	8 <b>49</b> 8	52	<b>10000</b> 00000000000000000000000000000000	25
œ +	EL ES LUES ALT	# ! m	110								0.40 €.40	18	555 500 500 500 500 500 500 500 500 500	0,4	THM!	\$
FOR AI	SEA LEVEL NED VALUES IN OF VALU AT EAGH A	35	12 86								8 7 8 8 8 8	<b>3</b> 5	NEGO NEGO	30	80000 80000	80
	ABOVE SEA LEVEL OBSEPVED VALUES VIATION OF VALU ALUES AT EAGH AN	3.0	er eu								<b>ひきらた</b>	30	さるよう	52	2000 2000 2000	m #
PAIRS OF LEWEL' WALLOPS ISLAND EST WIND M/SE(	ABOVE OBSEP VIATI ALUES	£2	3 4	50						60 60	5000 5000 5000	11	1000	7	2404	m #
S OF	ERS A OF O	92		52					98	69	<b>さた</b> でも	^	outin outin	16	4434 4434	‡
CORRELATION AT PAIRS OF LEWELS WALLOPS ISLAND, EAST-MEST WIND H/SEC	KILOHETERS A33VE SI AVERAGE OF OBSEPVE STANDARD DEVIATION NUMBER OF VALUES A	54	4 6	4.5					76	52	20 T	•	กรทุ	9	40 <u>40</u>	29
1 A T	KILC AVER STAN	25	4 8	6 4					745	5	2000	26	2000 2000 2000	36	WNWW WFW4	52
17.10h	KA HEAN STOV	50	3 M	<b>3</b>					9450 9450 9450 9450 9450 9450 9450 9450	37	040m	31	744P VED4	54	ለጥሁት ພፋውቱ	26
13EL/	± 35 12	19	6 9	<b>3</b>				2	445万	34	2000 2000 2000 2000 2000 2000 2000 200	27	920V	35	505g	60
Ö		16	7 12	4			96	65	4400	32	2422 4000	<b>58</b>	2222 2007	2.8	さみさま	96
			22	40			<b>6)40</b>	57	でませる		20000	37	apua Myoo	45	4440 6400	9
			130				6748 6748	39	でくてま		2244 244 244 244 244 244	17	なるなれ	7,7	3225	4
			26										2000 1000			
			215	51									7509			
		<b>v</b> 0 (	-	ທ									944B			
			73										ろうろう			
		~	ט מ	53	# 60.0.4 ∨NV	35	20044 80000	15	4840 4083	18	でまれる	13	4203 4203	30	30.0F	7
		.015	- M	υ 10	DHWO DHWO	σ	#111 #111	9	041 041 0430		3604 4004 1111	-15	111 HAH HAH	7-	11 1	-11

\*\* MULTIPLY TABULAR WALUES BY 0.01 TO DBTAIN CORNELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont)

			•		
		96	-56	95	2
		5	, ()	56	7
		55	641	90	7
		Ŋ	-45	91	Ġ
		40	-45	99	£7
		9	7	96	3
		3	-39	4 5	5
		t t	-35	46	\$
9	9	3	-32	‡	4.6
CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 MALLOPS ISLAND, VA EAST-WEST WIND WYSEC WEST +	KILOHETERS ABJUE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES TIMES 10	33.5	-53	‡ \$	7
196	11	17UC	-24	9	4.
FOR JUL VA WEST +	L UES	3. AL.	-25	37	4
FOR VA WES	VALU VALU F VA	E ACH	-20	36	5
IND.	SEA WED	30	-18	9	<b>*</b>
ON AT PAIRS OF LEVELS FOR MALLOPS ISLAND, VA EAST-WEST WIND M/SEC HE	KILOMETERS ABJUE SEA LEVEL Average of Observed Values Standard deviation of Valu	NUMBER OF VALUES AT EACH ALTITUDE 22 24 26 28 30 32 34 36 3	-16	36	*
S OF S	SKS A OF C		41-	30	\$
PAI! HALL EST	HETE RAGE IDARO	, . , .	===	34	45
AT .	KILC AVER STAN	10 10 10 10 10 10 10 10 10 10 10 10 10 1	6	56	m T
TION E	KH HEAN STOV	2 2 2	.5	5	4 2
REL !	* # IS	<b>2</b>	7	2	<b>4</b>
CO		N NUMBER OF WALUES AT EACH ALTITUDE 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 55 52 54 56	11 12 10 4 -1 -5 -9 -11 -14 -16 -18 -20 -22 -24 -25 -35 -39 -+1 -42 -45 -+9 -53 -56 -	2 106 127 102 62 46 35 26 34 30 36 30 36 37 40 44 44 46 45 56 68 81 86 94	44 45 45 46 45 45 43 42 46 47 47 47 47 47 47 46 46 47 48 47 47 47 47
		\$	7	102	42
		12	12	127	1 ()
		10	11	106	3
		•		N	<b>.</b>

60	-69	106	27												
9.0	-57	86	36												53
96	-56	36	2											53	۲ ۶
4	٠ <u>٠</u>	76	7											37	ø
		90												27.4	ø
	145	91	į											1 MB	5
	24-												31	1422	- 20
9	7	99	` <b>;</b>									<b>19</b>	72	8444	-21
	-39											0.4 0.4	35	2111	2
7	-35	9	\$									700	-1	100 4 G	
	-32	‡	\$									გული იული			w
æ	-53	t t	<u>`</u>								26	ままっていらららって	18	25025	
3	-24	3	<b>7</b>							53		£284		44W	-24
ŧ,	-25	37	£4							7.05	20	でなるま	76	20.40	- 31
32	-20	36	<b>7</b>							256 256 256	23	5555	\$	2555 2555 2555 2555 2555 2555 2555 255	154
30	-18	m	<b>}</b>							<b>MWF</b> /M	36	さっこう	7.7	140M	-27
28	97-	36							9	るようご られので	53	tunew Georg	2,1	2 11 2 11	-12
26	41-	30	\$					25	7	4404 444	51	20012 5495	31	20025	-31
2	።	34	45					무기	56	<b>できた!</b> なぎひら	3	56.55	1	11 1411 2410	24-
22	6-	56	t t					さなな	30	とちもら	39	ちきよよ	•	22 22	-29
20	.5	3	4.5					2000 2000	21	W07	7	5,50	7	4430	- 34
<b>£</b>	7	2	42				99	さいしょう かいしゅう	<b>(*)</b>	04 t	16	4000A	9	an.a.√	-18
16	4	62	46			29	.t	200 117 117 117 117 117 117 117 117 117 1	~	44 1 1400	6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	4000	r.
<b>3</b> .	10	102	43			on wn	42	WV I		ままっているますの		24.00 24.00		4014	m
12	12	127	1			0.00 0.00 0.00 0.00	35	# NOW 14	+	3000	13	7571	-11	11. 2011.	4
10	11	106	1							444					4
•	01	95	‡ ‡		90	ውውው። ውስጥታ <del>ው</del>	4	25.05 25.05	0	409n	17	1011 2011	+1-	1100	19
ம	6	65	4	*	75	ちゅてららせる	20	1004F	**	<b>7</b> 400	12	1411	-17	4140	+
3	•	58	3	92	65	# @ # # # # # # # # # # # # # # # # # #	43	2424 2000	7.0	100 200 200 200	25	नक्षत	ı.	450 ದಾಬರಾಧಿ	15
~	ī.	46	#1 #	# 60.000 80.000	30	00000 4400	77	4012 4025	-	ころない	12	1 0,1 0,0 0,0 0,0 0,0	6	MMMM	5
5	9	21	9	3041 P000	-21	3020	7.7	100360 111711 1	10	teme #	ħ	1 I 04 4 0640	4	SHWW OHMO	-16
¥	HE AN	STOV	z	กรขอ	93	N3W0 ਜਜਮੂਜ	20	<i><b>MNNN</b></i> <b>M404</b>	30	ಬ <b>ು</b> ಎಂ ಬಬಾಬಬ	9	<b>0020</b>	20	ការការការ ការការកាន	99

.. MULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A5. Zonal Winds From the Surface to 60 km at Wallops Island (Cont)

CORRELATION AT PAIRS OF LEVELS FOR SET 1969-1976

WALLOPS ISLAND, WA EAST-WEST WIND M/SEC MEST +

			40	ტ	*													_
			56	5	264	34												96
			56	57	219	7											55	90
			5	56	2 × C	<b>t</b> 1											ውሥን ሚብ	91
			25	4	244	7											926	99
			53	53	233	45											03000 7300	69
			40	4	230	÷										26	\$000 \$000	\$
			4	<b>‡</b>	228	\$ 0									26	95	ተመመተ ተመመተ	3
			4	38	509	4									95 96	76	00000 00000	83
			۲۰ ۲۰	33	201	4.5									~ <del>*</del> ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	96	1001 1000	62
	۰		9	28	161	45									<b>07000</b>	92	3097 7386	2
	ES 10	1a1	38	52	178	us T								36	00000	62	2444	62
	OF VALUES TIMES	EACH ALTITUDE	36	54	171	45							95	92	\$00¢	25	7000 4004	54
급	ES	AL.T.	34	20	150	45							20 24	82	2902	19	<b>3000</b> 00	9
KILOMETERS ABOWE SEA LEVEL	VALUES OF VALU	ACH	32	12	129	<b>£</b>							<b>8</b> 99	75	2555	60	2000 0000	37
SEA	03A	T W	30	0.4	117	ŧ.							3000c	61	そらちゅ	24	MOD STAN	<b>3</b>
DVE	OBSERVED .	ues.	2.8	•	35	ıs.						10	27NG	54	0040 ttt	0 4	<del>orto</del> graph announce	
RS A	AVERAGE OF O9SERVET Standard deviation	OF WALUES	56	9	92						80	9	\$775 8274	53	4000 t t t t	4.5	F480	19
YETEI	AGE (		77	4	53	38					64	34	2000 2000 2000	52	2022	56	ರಾಜ್ಯ ಕಾರ್	25
KILO	AVERAGE Standar	NUMBER	22	4	4	35					ಪ್ರವಾಗ ಪ್ರವಾಗ	91	よよなな	30	S S S S S S S S S S S S S S S S S S S	39	<b>10000</b> 0	47
	_	z	20	r	52	30					りてこれ	4	110=	13	3466	31	8444 8884	55
×	STOV	_	97	æ	29	20				91		9	8번째 전략 1 1	9	ಹಾಬಗಳ	24	4004 2004	3
			16	1,1	95	£			96	48	M007	7			<b>ช</b> ุงอุก	σ	4050	92
			14	23	130	39			0.0 0.0	'n	245°	-1	2404 111	Ţ	74.70	~	1 T	7
			12	<b>5</b>	257	39			0 <b>4</b> 0	99	ららま できまさ	-10		თ	nanů	7	wa-4	~
			10	21	133	9			676+0 67440	51	<b>0.3</b> សសភាព	9	-			0	4704	~
			•	16		41		86	0.46.00 0.40.00	61	₽44 ₽40₩	11	197	ï	***	ģ	<b>2004</b>	7
				<b>8</b>			9.		<b>2000</b> 00 <b>2000</b> €									
			3	6	36	42	Q-60 Q-10	63	25 tu	4	#004 #004	7,4	848K	15	თიიი	0	ろちょと	2
			~	æ	63	7	5005	84	488.4 2000	43	2023 2013 2013 2013	92	7555 7555	30	2000 2000 2000 2000 2000 2000 2000 200	17	2222	13
			5		31	2	01-01-01 -	٠.	the the	2.	4 <u>0</u> 00	<b>6</b> 0	<b>⊕</b> 0/000	#	OW HIT	2	£400	55
							खन <i>म</i> ास	٠	7' 7		CHOINE.		********			14	(Araton)	-,
				ź	2	2												

\*\* MULTIPLY TAEULAF VALUES BY 8.01 TO DBTAIN CORRELATION COEFFICIENTS

Table A6. Meridional 'inda From the Surface to 60 km at Wallops Island

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

HALLOPS ISLAND, WA

NORTH-SOUTH WIND HESEC SOUTH KILOMETERS ABOVE SEA LEVEL

¥

### ### ### ### ### ### ### ### ### ##	1   1   1   1   1   1   1   1   1   1	1
1	1	1
1	1	
1	1	1
Colored   Colo	1	## 1
1	1	000 0 0 00000 0 0 00000 0 0 00000 0 0 0000
### #### #### #### #### #### #### ##### ####	### 1   1   1   1   1   1   1   1   1	## Company of the com
### 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	### 1	1
### #### #### #### #### ##### ########	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	No.
1   1   1   1   1   1   1   1   1   1		## 1   1   1   1   1   1   1   1   1   1
### ### #### #### ##### ##############	##### ################################	
Description	1	The column   The
- 1.6 - 1.1 - 5 - 2.2 - 2.2 - 1.2 - 1.4 - 5 - 2.5 - 2.4 - 1.4 - 1.5 - 2.5 - 1.2 - 1.4 - 1.5 - 1.	2	# #### ###############################
9 A A A A A A A A A A A A A A A A A A A	90.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	######################################
	-3 -10 -7 -6 -16 -16 -8 0 -1 -10 -28 -28 -5 10 1	1

Table A6. Meridical Winds From the Surface to 60 km at Wallops Island (Cont)

CORRELAITUN AT PAIRS OF LEVELS FOR APR 1969-1976	HALLOPS ISLAND, VA	NORTH-SOUTH WIND M/SEC SOUTH .	KH KILOMETERS ABOVE SEA LEVEL	HEAK AVERAGE OF OBSERVED VALUES	STOW STANDARD DEVIATION OF VALUES TIMES 10	N NUMBER OF VALUES AT EACH ALTITUDE
CORREL				r	S	

	9	9	87	30												
	29	•	9	33												52
	26	10	16	9											53	3
	5	~	Z	5.0											<b>~</b> €	Ť
	25	9	Z	53											Ω.⇔Ω. Φανυ	91
	20	(r	49	52 50											44.50 74.50	S,
	9	٠.	4	52										26	STEP SEE	ş
	\$	īv	\$2	53									\$	ï	244 2244	3
	<b>‡</b>	w	22	Ę									5.4 6.6	23	244 244 244	23
	4	~	73	5.0									011 V10	<b>7</b>	ችክክሪስ ውጭዝብ	7.7
	2	∾	61	ą,									ನ್ನು ಕ್ರಮ ಕ್ರಮ	ž.	4804 4866	17
	38	~	56									99	化化化化	33	404 404	~
	36	**	S	23							53	36	たいしょう ようしゅ	38	244 10450	- 70
	45			S.							33	9	かられら	20	auga angn	~
	32	۷.	73	53							ያ ያ ያ	30	ちいいり かいかい	33	New F	8
	30	~	\$	'n							らっこう できるで	26	M HH	25	よえする	26
	28	**	39	en Li						7.2	*****		νι ⊶γναν	1.5	400mm	f
	56	0	32	52					3	**	2004	•	•		2012	#
!	25	Ŧ	35	46					52	- 15	111 WAL 111	- 50	1 1 2004	4	#1	4
	22	ï	23	4							W 41					
:	20	0	45	4							T. S.					
	18		30	4							2401 3760					
	16		99	9			, <sub>5</sub>				7 N					
	7	۳	80	4			&.v.				72 57 4876		20042 3365			
	12	÷	1 31	4							としま					
		*		7			2000	~	ru+)	+4	Ø.₽44	•	erich edus	~	~₩	~
				57			00kg									
				52			アア・ロチ									
				53			ሌውው የኮውን									
	~	7	3	53	• <del>2000</del> • <del>200</del> 0	53	4384 4070	18	S S S	o	4000	N	-40.0M	2	1031-0	7
	. 115				34 t	-10	1440 1440	.0.	, 14 2000	9	Nr. 10	'n	111	m	41.00	-31
	×	PE AN	STOV	z	พระพ	2	4444 4444	50	0.000 0.000 0.000	30	03-08 0000	0,5	7474 7474	20	ಬಿಸುವು ೧೩ಕ್ಕುಡಿ	9

\*\* MULTIPLY TABULAK WALUES BY 0.81 TO OBTAIN CORRELATION COFFICIENTS

Table A6. Meridional Winds From the Surface to 60 km at Wallops Island (Cont.)

				99	~	127	27												
				40	<b>P</b> 7	93	50												5
				ñ	īv	20	42											5	
				54	*	3	~;											<b>%</b>	
				25	3	52	7.5											201	
				53	ıń	65	42											5-40.ec	
				<b>20</b>	ø	<b>€</b>	~										5	0425	
				£	9	4	4,									3	•0		- 11-
				3	3	*!	۲,									E.C	7.		
				ر د	'n	£, 4	9									341 000		00M3	
ır.			_	9	-	9:	\$									34°4			
JUL 1969-1976			9 5 8	<b>8</b> 0	**	F.	~								36	ויסמוז			
1963			11.001	36	0	23	4							55	-14			Minime	56
10 H	-	S.	. VES	*		<b>5</b>	<b>*</b>							***	91-	51 44 58.27	~	4220	e.
	KILOMETERS ABJWE SEA LEWEL	AVERAGE OF OBSERVED VALUES	STANDAGO DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE	32	-	3,4	Ç							\$1 \$1 \$1		4040	•16	4400	-29
CORRELATION AT PAIRS OF LEVELS FOR MALLOPS ISLAND, VA NORTH-SOUTH MIND MYSEC, SOU	SEA	NE0	% <b>₹</b>	30		7	<b>~</b>							name 171	12	05/40 5h		700	
LEV TSLA VO M	аусе	35 ER	1411	<b>6</b> 2	**	9.7	~						€.	E GUNG				Service S	
SOF	RS A	0 40	OE &	<b>\$</b>	0	18	3					7	3	5-467	24	ಎಒ್ ಎಒ್	, N	~~0~	-31
PAIR WALL SOUT	HETE	AGE	OAKO ER O	4.	•	3	₹					લ્લ .इ.च	-12	できたさ	12	1 2000 2000	0		3.
AT RTH-	KILO	AVER	ATAN NUMB	2	ن	5 1	\$ \$					5.41 5.27	~	<b>0≈0 1</b> 3003	٤	4302	٩	ENE TES	-13
TION NO	¥	MEAK	STOV N	20	0	15	45					らろうのしょう	21 -	4004 4004	- 16		ş	2977	~
RELA	*	ĭ	5	2	7	82	5				2	ata Ata	7	420°C	-20	7100	٢	\$-PN-3	11
900				76	~	49	49			Ş	6.9	P-3-0	P*)	240	~	0100 0100	:	3-N-0 11 N	•
				14	?	124	.≯			<b>0%</b>	\$	ちい	7	CACONIA PARTIES	Ť	1000 to 1000 t	Į,		~
				12	7	161	3			シェン		3-44 ಭಿ-ಅನಿಗಳು	3	400	ů	•	5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	277
				2	Ÿ	134	3			70 D	56	عدم. تاستدارا	•	54F5 FV1:	7	4030	-13	STATE OF	21
				•	?	107	7			22.70									
				æ	ī	8.5	3	9	8	アアアド	4	ac encode acceptant	*	11000	~	September 1	E.	1414	<u> </u>
				*	7	9	3	0-0 5m	22	4430 4430	3	A MINING COMPO	9	こっから	~	9034 4409	#	1 41 4 2 2 4	7
				~	7	4.	3	* AB 3 E Q 0	35	ころうり のイアロ	ŗ	ሰዛብ አፍ <mark>ል</mark> ብ	•	11 11 11	Ę.	rr42	7	3500 2500	7
				.015	0	37	en J	ውምስተ ውጥ ውጥ	1.2	DN HP	2.9	1 1 1 1	9.2	11 1001 1001	•	taen N	2.7	0 04 6+44	5 2
					¥	2	z												

\*\* MULTIPLY TARULAR WALUES BY 3.01 TO OBTAIN CORRELATION COEFFICIENTS 7 -13 -14 -31 36 -14 -29 -2 26

Table A6. Meridional Winds From the Surface to 60 km at Wallops Island (Cont)

## CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976 MALLOPS ISLAND, VA

NORTH-SOUTH WIND M/SEC SOUTH +

KH KILUMETERS AGJVE SEA LEWEL Mean average of Observed Values	STDV STANDARD DEVIATION OF VALUES TIMES 10	N THE PARTY OF TANKE OF THE SACH AS LITTING
--	--	---

90	љ	66	23												
S	ን	7.0	ŧ m												99
98	ת	93 1	27											٤	3
ų.	6	82	t t											£7	2.
52	œ;	22	\$											245	27
53	יתו	<b>?</b> 6	4											1.787	63
84	•0	84	ţ.										9.2	45 34 76 36	96
9 7	σ	90	tů řů									65	49	500 to 50	51
7	9	62	42									75	1,1	3437	38
4,	9	12	ţ,									51MB	36	200 200 200 200 200 200 200 200 200 200	54
46	#	ş,	45									2382 13282 13282	7	200 T	9-
<b>60</b>	٧	57	10								53	ちゃくよ adam	16	040m	σ
36	2	61	t,							59	35	14 27 27	٣	8444 5456	9
34	*	24	45							42	24	84 4 66 9	5	41 40 ordan	Φ
32	#	4	45							£23.4	15	18252 18252 18352	m	2248 2448	9
39	~1	÷	45							ውኪ ችዛ ውዑኤው	4 6	20 W US 0 S F C	16	3000	\$
28	~	36	+						Ę	4W41	+	30	27	40mg	σ
26	~	7,	4					61,	32	1173	-2	811 9004	53	80FC	77
54	4	23	38					34	35	4495	27	2534 2549	23	8446 8446	12
22	0	27	39					316	•	onno	R	નનન <i>।</i>	7	2 2 2 4 6	27
20	-	31	38					2000 440 50	7	123	<b>•</b> 26	4407	ហ	2844 4465	
18	Ф	45	39				69	2550 6750 6	-12	1114	-39	က်ထည်ဆ	18	さなれら	32
16	9	11	39			~	45	2482	-18	1111	-30	1174	M	- 242 242	10
41		118	33			669	40	2429	-19	1122	-24	11211	N	111	Ln
12		149	39			420	4.	1128	- 15	1119	-19	Num.	1.8	1 1 1	17
100	<b>-</b>	161	9			0.000 4000	55	#11 8000	1	0440	:	04 H	-	, ,	62 .
.0	7	123	41	~	95	4004 4004	15	N POPN	-15	1222	-15	7010	-1	1110 1224 1224 1224 1224 1224 1224 1224	6 17
ه	-	101	£43	6	48	£407	•	1111	-11	1111	-12	7070 1011	7 0	12144	2 76
<b>.</b>	7	77	7	0.00 3.4	3 76	COOP CONTO CONTO	7	1750	-17	1200	7 -13	7'	6	1132	-1
.,	7	58	41	78 52 52	46	ກິດີທີ່	-25	123	114	1 1 1 1	,-	2446	Ŧ	132	÷
. 115	7	36	£	3040 3040	31	こささ <b>8</b> 4 65	•	046K	-16	1001	.5	1 14	9	11. 200	-43
Æ	MEAN	STDV	z	<b>ମ</b> ୟଦ <b>ର</b>	70	244 <b>8</b>	20	2000 2000 2000 2000	30	സൻയ സൻസന	04	1444 0040	20	មាមក្រមា ក្រុងក្នុង	₽9

\*\* MULTIPLY TABULAR VALUES BY 8.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A7. Zonal Winds From the Surface to 60 km at Churchill CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976 FORT CHURCHILL, MANITOBA EAST-WEST WIND MYSEC WEST +

KILOMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STANDARY DEVLATION OF VALUES TIMES 10	NUMBER OF VALUES AT EACH ALTITUDE
¥	HEAN	STOV	z

9	36	324	4												
58	27	333	4												76
56	37	+18	49											5	31
54	<b>3</b> 3	435	53											6.9 6.5	92
52	38	07 4	25											88.85 25.45	23
20	38	2+4	23											0000 7000	79
80	35.	457	25										96	7669V	32
9	35	410	53									16	31	<b>66.00</b> 000000000000000000000000000000000	9
3	31	395	25									96 95	98	7475 28 28	50 00 00
45	97	366	64									ଜନ୍ମ ଜନ୍ମ	7.6	9888 2486	27
9	30	353	53									0000 0000 0000	7	4500 450 450 450 450 450 450 450 450 450	3
36	28	337	53								95	0,400 0,400	62	സഎഎന്ന നയത്ത	¥;
36	52	324	53							99	91	67 67 67 67	52	23452	32
34	25	308	53							96 95 95	83	5055 5000 5000 5000 5000 5000 5000 500	46	2234	5€
32	54	301	53							9 % 9 9 % 9	78	£7366	ţ	37 23 18	23
30	52	36 5	55							00000 1000	7.0	70000	52	ያች ያች	10
28	54	281	50						96	ውሳው ተፈፀመው	63	44m2 601m	17	2007 1	Ŋ
97	52	246	52					66	¥6	982 738 738 738	99	2000	19	# 7 2 0 0	12
54	20	207	30					920	84	7507	4.1	226 1256 151	7,	#14-F1	28
22	17	199	*					6000 0000	40	5647	37	2014 2014 2016	#	11 444	-1
20	17	170	ţ					00.00 0460	81	25.00 8.40 8.40 8.40 8.40 8.40 8.40 8.40 8	34	44 0400	₩.	2522	1 16
18	17	137	đ				25	20.000 20.04	76	₩ 2003	27	9809	-7	, 1555 255	-17
16	16	129	49			95	87	92 76 74 73	73	ውያውታ የውዛሪ	56	# OB	-10	1174	-12
14	15	106	90			96 86	80	7.000 6.50 6.50 7.00 7.00 7.00 7.00 7.00 7.00 7.00 7	49	はなな なななか	23	40,00	6	11211 14211	-13
12	1.	99	51			912	99	გი გი გი	56	444m 0.0000	23	4656	-11	116 126 126 126	-14
7.0	13	193	53			0.60 AV	50	12 14 1000 1000 1000	£4	ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ ያ	52	0.4VW	٥	4412	-13
•0	15	140	55		95	44 60 60 60 60 60 60 60 60 60 60 60 60 60	54	2050	25	2222 25042	16	40ma	9-	11111 60000	1 19
9	70	132	52	96	82	ብሔሠብ ዓክመው	7	1777	12	222	Φ	31.07	7	7111 1000 1000	-25
*	~	96	51	925	71	₹2000 104100	15	41 44 9860	თ	6464	9	4040	7	2711	-23
~	t	49	20	\$ 85 50 50 50	<b>1</b>	855°5	ĸ	កចំកំចល	4	5777B	15	24T 6	თ	4470	5
. 135	1		96	##### #####	17	4 N/V G-7	м	4 대 H N   1	~	<b>დ</b> თდო	m	4996	13	4403 4244	15
×	MEAN	STDW	z	0000	10	4444 8448	20	884N NNNN	39	സ്വൻ സൂർത	9	4444 0400	20	ስካስካስ ሰንቅሳቀ ዕ	89

Table A7. Zonal Winds From the Surface to 60 km at Churchill (Cont)

			96	13	202	30												
			50	4		38												35
			96	2.1	on	43											87	70
			2	2	σ	t.											5.00 5.00	82
			55	12	174 1	τ <u>υ</u>											₩ Ø 3 Ø 20	*8
			53	13		ţ.											25055 25055	8,
			æç	11	69	Ę,										34	48997	92
			φ †	91	1 651	ţ.									5	27	245 245 28 245 28	62
			ţ	~		t Vi									99 10	63	9340	r.
			7	9		ų,									6093	85	6778 65953	65
vo.		_	9	8		<b>4</b>									90.00 44.00	47	4004	61
-197		01 SE	% 50	;		t t								m o	<b>シワもか</b> ころアル	8.	31 77 74 65	62
1969-197		OF VALUES TIME ZACH ALTITUNS	35	ç	103	٠ <u>٠</u>							*4 *P	6	3 3 3 4 4 7 7 7 7	23	65 57 57 57	<b>4</b> 3
4 4 H	<u>ي</u> د	UES ALT)	34	5-	93	<b>1</b>							90	82	86.66 86.66	<b>†</b>	ውቦችቱ ኤሳዑተ	53
CORRELATION AT PAIRS OF LEVELS FOR APR FORT CHURCHILL, MANITOBA EAST-WEST MIND W/SEC WEST +	A93WE SEA LEVEL O3SERVED VALUES	FVA	32	i,	30	Į.							827	7.4	5223	52	3343	45
EVELS L, MAN			36	رن. 1	7.0	'n.							98897 4768	7.4	745 60 60 60	25	2000 2004	<b>£</b> 1
LEV ILL,	A93₩E 035€R	TO DEVIATION OF VALUES	<b>58</b>	tin		۱ñ +-						9.0	1200 1200	67	******	10	₩₩₩ Wahr®	36
S OF		OEV.	56	٣	48	ŭ					76	52	0000 0000 1000	<b>3</b>	44W4 000W	36	222223	Ç
ON AT PAIQS OF FORT CHURCH EAST-WEST HIND	KILOMETERS Average of		24	2	23	37					1 <sub>6</sub>	11	2225 2462	4	4444 0000	4	35.73 25.73 26.73 26.73	45
AT FOR ST-H	KILOMETI Average	ST ANDA6 NUMBER	22	1,	다 다	<b>+</b>					60 B	65	たいしゃ たいし	6	ないません なんしゅう	32	7744 1004	27
T I ON		STOV R	20	ਜ	£	<b>†</b>					\$0004 \$0004	33	2023	16	17 12 19 19	14	ቀተሪቦ	~
RELA	χij	ST	18	M	<b>ት</b>	ţ.				ئ. 53	2000 2000 2000 2000	56	950 111	3	0974	8	1404	٩
200			16	ហ	64	4			6	80	0224 0227	18	ろともら	٥	MONW	ţ	2000 1411	-12
			14	~	23	£ 2			79	99	ಭಿನ್ ಕರ	\$	95.00	-13	9269	-17	123	-23
			77	10	n n	4			გაგა ტატ	63	127 123	Φ	4000	6	1111 4044 8900	-11	112	-21
			10	11	131	t N			なてとら	2	845H	æ	1111	ī,	2000	9	സഹസ	-16
			10	73	133	4		95	<b>6</b> 0004 00.04	41	2004	10	3M3M	M	4401	٥	6440	ī,
			9	10		t U	95	36	9016 3016	36	ಸೆಗ್ಗಳ ಬೆಗ್ಗೆ	ᠻ	mmor.	11	ಕ್ಷ ಕ್ಷಾ	13	# # # # # # # # # # # # # # # # # # #	5
			3	7	4	4	553	72	47.00 97.00	5 4	25.55	#3	4476	20	146 119	1.8	もまれま 804910	-10
			~	J	25	ţ					3,40							
			135	•	32	7	80 M 60 M	6.	400	۲,	111 722 722	*	455E	<b>\$</b>	04KV	0	27.75	-34
			•		<b>&gt;</b>						• •						•	•

ם פטבות כ פטבות כ פטבות כ פשבות ב פטבות ב פטבות ט משמחת ע בצבל ל מממחת א היווד ד

Table A7. Zonal Winds From the Surface to 60 km at Churchill (Cont)

							9	9	83	56												
							58 6	•	3.8	27 .												29
							5 95	38 -41	83	30 2											23	22 6
							5 4 5	34 -3	8 99	30											59 5	20 2
							52 5	33 -3		3u 3												
								1		39 3											20.410 20.00	71 0
							9 50	7 -30	7.8											_	04W E04W	1- 3
							6+	12- +	900	35									_	99	# 01010 # 01010	
							•	-24	9+	30									61		20 M4 50 M6	- 28
							44	-55	41	2									61 26	17	7.040 0.400	37
							45	-25	4	30									380 440	10	1.MU	6
9.2					10		4	- 18	ä	30									9000F		1 0000 10004	45
1969-1976						30	38	-15	5,3	30								5	twut moto	22	4846 8006	32
					11	EACH ALTITUBE	36	#	30	33							45	6	244	4	24 MS	54
รีก	4 !	+	EL	ES	L UE	A AL	m T	-14	33	30							25	7	2557 11362	24	3025 4026	21
FOR	TTOE	WEST	LEVEL	VALL	Ž.	EACH	33	-11	56	36							442	30	ትቴ պե	62	1000 1000 1000	#
LEVELS FOR JUL	¥ (	i/SEC	SEA	VEO	S S	A T	30	-10	27	W C)							2000 8000 8000	4	55.4E	22	£25.49	-14
	11.		9 A C 8	3SER	IAFI	LUES	88	6	21	36						22	6W60	t,	4.+N MBMN	3		<b>17</b>
S OF	CRCH	222	RS A	0F 0	0EV	¥	26	~	77	30					35	11	3352	20	7562 7542	9	235 W	41
CORRELATION AT PAIRS OF	FORT CHURCHILL, MANITOBA	EAST-WEST WIND	KILOMETERS ABOWE	AVERAGE OF OBSERVED VALUES	STANDARD DEVIATION OF VALUES TIMES	NUMBER OF WALUES	54	-2	23	22					48	88	255 255 255 255 255 255 255 255 255 255	82	M40.85	4	40° 1	\$
AT	FOR	N I	KILO	AVER	STAN	e H DN	22	۳,	21	28					244 144	46	87 879	6 #	2017 2017	13	9446 0	-23
TION	i	EA			2	z	2	7	56	30					2020	45	7597	•	110m/t	11	21.14	-21
REL A			ž	MEAN	STOV		18	m	34	36				68	7959 4959	32	2476	ĸ		12	ummm Herina	-12
COR							76	9	9	30			8	79	0464 0660	5	0554V	ſ	25.45 96.40	35	4947	- 53
							7	10	11	30			46	20	#5545 #5545	28	2×25	8	ままなで	34	1706	-21
							12	13	115	30			24 2000	53	484 いちての	53	#40°	۳	0350 4050	31	21-23-0	21
							10	15	163 1	30			3000 2000	9.6	F 170	53	2016 2016	ابر 10	MOM	28	6 1 1 P	# 6m
							•	75		30		46	0400 0400									32
							ø	•	92 1	30			2500		•		1 400 4035	•	101 5000	+1	1411	- 22
								æ			273				2222			•			000H	•
											N MOOD				197 F			•	•	•	nhaa	•
																						ī n
							₩.	_	3	3	00440 0440	귺	<b>ส</b> ณสส	#	414	*	NNIM	Ň	11	N	~~~	

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

O DONN O SERE E MAMM O NOUN O PHEN E BOEN

Table A7. Zonal Winds From the Surface to 60 km at Churchill (Cont)

				99	59	167	g g											
				58	0.7	168 1	9+											
				96	£4	1.86 1.	25											
				24	75	74 85	25											N <sub>E</sub>
				52 6	,	173 19	55											500 7
				50	7 5 7	136 1	55											99947
				¥.	7 7 7 7	131 13	25										ø	5256
				94	411	153 1	15									83	89	1000 1000
				7 77	38	114 17	25									٨٥	9 29	7000
				42	34	107 11	51									400	m	NON-0
				7 94	31.	118 11	89									2.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00	62 6	40.00 40.00 40.00 40.00
1976		2 10		38	28	110 1:	51								91	74.10 501.44	52 (	0000 1 0000 1
1969-1976		STANDARD DEVIATION OF WALUES TIMES	TUBE	36	54	108 1:	25							26	98	67678	53	0034 0034
<del>1</del> +	ט ר	. San	ALTI	36	21	96 16	25							45. 0.0	3,0	5672	51	0010 0010
TOR 0	SEA LEVEL ED VALUES	*AL	EACH ALTITUDE	32	18	68	21							925	78	3432	£43	44.96
AT PAIRS OF LEVELS FOR (FORT CHURCHILL, MANITOR)	SEA .	10	AT E	30	16	E 10	25							ഗവസം സവസം	52	1027	37 4	7997 7997
EVELS LL, MAI		TIO		28	13	31	25						£	000V	67 3	MUUDH MUUDH	3.6	20040 3000 2000 2000
OF (	S A 8	DEVI.	VAL!	56	1	73	25					76	98	7746	61 (	4616 4616	33	teemt Shugs
ON AT PAIRS OF FORT CHURCH EAST-NEST WIND	KILOMETERS ABOVE AVERAGE OF OBSERV	A.R.D	NUMBER OF VALUES	24	21	2.	۳. س					4.4	99	4676	13	4668	12	9052
AT P FORT	ILOH	TAND	UMBE	22	10	63	45					112	2	0644 6644	70	What mmmm	51	2040 1000 1000 1000 1000 1000 1000 1000
CORRELATION AT PAIRS OF LEVELS FOR OCT FORT CHURCHILL, MANITORA EAST-WEST WIND M/SEC MEST +	2			20	10	9	20					74 74 68	26	4040 0400	30	200 B	21	9964
ELAT	KH	STOV	z	18	21	64	51				63	40707	36	23083	17	ONO.	56	12225
CORR				91	12	24	52			eo N	9.4	nama nama	30	3545 2000	S H	11100 11000	22	3101
				14	14	69	55			88	25	4056 4056	6	مئلار م	m	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	Maran Haro I
				12	15	98	25			684 644	25	7400 7557	14	#200°	æ	2144 1144 11	10	199
				01	16	119	25			573	4.2	9879	6	トドトロ	+1	2000	6	Men H
				•	12	113 1	25		87	26697 26955	64	2222	4	\$680 0	0	440m	7 7	<b>40</b> 4.000
				9	1.0	N	52	80 80	87	£0007	38	ರ್ಮ ಬಹಾಗುವ	25	9000	ŗ.	4000	4	25.45 45 45 45 45 45 45 45 45 45 45 45 45 4
				3	•0	70		80 A 50 A	20	0004 0000	0 7	ರ ಕಾಗ್ರವ ಕಾಗುವ	~	9446	~	1100	4	
				~	īV	92	52	\$ 500 \$ 500 4	9	4885 6988	59	31 221 20	m	4040	m	111 60 11	m	4044
				035	2	0 4	51	7997 1484	17	1966	1,4	900 B B	11	하다 하다 하다	7	BWVH H I	m	2486 444 111
				•	z	*	_											

\*\* MULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

-- 82 -- 82 -- 6

62 62 68

ስቴው ር ሀንያው ር

Table A8. Meridional Winds From the Surface to 60 km at Churchill

	9	-7	545	£3												
	26	۳	246	1												\$ 5
	96	+4	34.5	6,											88	22
	75	•	267	17 13											766 516	6.2
	25	Q 1	242	25											96 74 65	9
	S	3	989	53											96.93 64.93	69
	3	-2	329	52										89	8 00 mg	30
	4 E	8-	309	η, W									#	76	0 4 6 6 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	5
	<b>.</b> 	-12	303	25									3 <b>8</b> 0	6/	4884	4
	<b>*</b>	-18	303	4									40% 40%	69	2440 2440	22
	\$	-15	306	53									02.28 006.4	73	V-3500 40004	36
,	<u>ه</u>	-15	962	53								9 6	20020 2400	68	2000 2000 2000 2000 2000 2000 2000 200	<b>50</b>
	<b>₩</b>	-17	280	53							98	5	0000 000000	9	338	23
	34	-18	265	53							ψ.ν Φ.ν	88	2400 1410	9.6	2222	54
	32	-13	565	53							246	88	7172g	94	1725	17
	38	-17	225	52							കവരം അത്യന	7.8	ზიტტ ფიტტ	42	8444 2046	<del>1</del>
	53	-17	218	5.3						9,1	8000 8476	ů	പറുകൾ സത്തവം	38	640 mg	11
	9.	-16	192	55					97	93	9876 9009	62			26 74	9
	7,7	-13	1 65	38					52	99	\$000 \$000 \$000 \$000 \$000 \$000 \$000 \$00	64	RWWW POOD	19	7502	-5
	25	-11	147	<b>b</b> 7					3000 888	62	#1000 #	7 7	さるした でいる	ው	i i i eombin	7
	20	6-	141	1					00.00 443.60 00	53	4505 4450	40	00000 00000	ζ.	5005	- 15
	70	-9	118	4				23	<b>446718</b>		444W		7000	77	มีพรร	-15
	16	EQ.	102	4			26	83	AT COD	59	2324 2424 5434	23	2010 2000 2000	m	2719	-23
	7		101	53				76	3728		2222				12374	-22
	44	-7	98	51					2567 18567		40NB				12470	- 22
		9		5.1							# # # fb				744	-17
	∞	-	133	55							2444					-13
,	ø	9	**	5.5							A				•	11.5
		•		51							mann I I I			٠		•
	~	'n	73	96	\$ 555 500 500 500 500 500 500 500 500 500	59	244 2074 2074	16	\$55°T	7	9224	-10	27.5	-16	2555	-35
1	135	-2	3.5	5	たらい たいし たいし	<b>(*7</b> )	SUMIN.	-10	1216	61.	1111	-25	12.25 9.05 9.05 9.05 9.05	-13	11 11 20 21 20 30 30 30 30 30 30 30 30 30 30 30 30 30	-24
		MEAN	AGIS	z	0000	97	4444 6446	20	2375 8 8 8 7 7 7 7 8	30	3448 3448	0,	000th	20	መመመስ ማመመመ	<b>9</b> 9

Table A8. Meridional Winds From the Surface to 60 km at Churchill (Cont)

COPRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

FORT CHURCHILL, MANITOBA NORTH-SOUTH MIND M/SEC SOUTH +

			90	•	121	30												
			58	~	112	34												92
			96	N;	<b>2</b> F	43											z	29
			24	-	۴,	<b>†</b>											27	j.
			55	"	3	ψ. Υ											ያው ያመያ	9
			20	-	82	£											657 697 698	5
			4	7	78	ů,										85	25.40 54.40	4
			9 †	•	å E	45									92	7.4	გადი გადი	51
			3	•	22	45									52	29	2004 2004	42
			45	9	9	t W									722	72	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28
	10		40	4	76	45									7770	12	4000 4040	25
		ш	3.8	ï	53	45								8.9	ውውስ ተነስ ኋተ	96	204U	15
	11	I TUB	36	7	23	45							<b>3</b>	53	6.04 t	Ş	755 75 75 75 75 75	12
73	ES LUES	EACH ALTITUDE	34	-5	72	4							8. 0.00	62	40W4 00000	04	123 243 20 20	16
KILONETERS ABJWE SEA LEWEL	OPSERVED VALUES VIATION OF VALUES TIMES	EACH	32	7	74	ŝ							80.Y	55	さるという	43	1250 1250 1250 1250 1250 1250 1250 1250	15
SEA		F A	30	7	6.8	45							0.020 4.400	÷	AUF W	32	97.4.8	13
83¥E	aser Iati	OF VALUES	8,3	2	25	t,						υ 23	8000 \$000	<b>†</b>	4400 4400	34	2344 2860	17
RS A	0F 0 0 €€	Ą	56	7	52	45					93	8	6746 6756	25	444W WOOW	33	2449W	97
METE	AVERAGE OF OPSERVEC Standard deviation		54	2.	97	37					35 11 12	65	3455 345 345 345 345 345 345 345 345 345	56	44 <sub>0</sub> 4	16	946	-21
KILO	AVER	NUMBER	22	- 5	39	41					7000	7	ቴሌነባው ውርሃው	2.2	4600 4	17	SPC4	9
ž	STOW	z	20	-2	36	‡					9249 2529	<b>1</b>	<b>7</b> 979	25	514 S	27	2822 4800	M
¥	A 12		18	-5	38	ţ,				90	てられること	25	74667 7667	13	~45ª	7,	2225	۵
			16	'n	45	Ę.			96	80	238 127 108 108 108 108 108 108 108 108 108 108	~	64MQ	-1	41 H	~	22.72	-5
			7	†	54	ţ			90	62	3044 0880	*	2 2 2 2 3 3 4 4 5 5 6 7	•	2795	2	1 44 444	-15
			?	-	16	ţ			0.00 40.5	57	31001H	1	2944	10	25.30	-1	1 44 6990	-11
			10	17.	120	45					まななれ							
				-11	44			95	<del>ወ</del> ውስሳ ተውብብ	41	<b>よさいよ</b> でおごめ	16	4404 8048	~	4020	15	9386 4444	۳,
			•	6	83	4	86	86	3467 3467	35	50000 4034	23	2422 2522	-1	4044 4	14	큐카다큐	~
			4	9-	65	4	87	52	00400 4000	59	223 234 234 234 234 234 234 234 234 234	30	2422 2684	~	7200	15	116	-13
			٥	7	9	ţ	# @00w Print	59	240.7	19	2222	33	8000 4040	17	t to ed	54	4222	-18
			.035	7	¢ 5	3 3	4040 5444 11	-18	441 441	-	0.0MG/0	-	1121	s	いれてい	σ	쿠더러크 디디디 	-28
			¥	ME AN	STDV	z	on the	01	7498 4444	20	0000 0400	30	NJ GO MMMM	0 7	3433 0300	20	いいいい いよゆむ	99

\*\* HULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A8, Meridional Winds From the Surface to 60 km at Churchill (Cont)

							56	^	65	3.			
								41	67	3.5			
							56 52 54	9	47	30			
							S.	*	<b>6</b>	33			
								m	46	30			
							34 36 33 49 42 44 46 48	<b>r</b> o ~	ŧ,	30			
							7		‡ ‡	30			
							45	2 3 2 0 1 2	0 7	36			
9							0 4	0	28 40	36			
CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976					STANDARD DEVLATION OF VALUES TIMES 10	ш	3.3	~	8.2	3			
1969					TIH	1700	36	m	52	30			
ลี	<	Ŧ	Ę	S)	LUES	ALT	34	2	52	30			
F.OR	FORT CHURCHILL, MANITOBA	Sou	L	VALU	F VA	EACH	32		52	'n			
ELS	MAH	SEC	SEA	VE.	O NO	1	36	-1 0 0 1 0	23	30			
L E	ILL,	9	3 A C E	3SER	IATI	UES	28	0	7.	33			
S OF	JACH	ī	S.	2F 0	DEV	YAI	56	0	17	30			
PAIR	CH	SOUT	HETE	A G.E.	DARD	26	54	7	23	26			
A	FOR	NORTH-SOUTH WIND MYSEC SOUTH +	KILOMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STAN	NUMBER OF VALUES AT EACH ALTITUDE	8 10 12 14 16 18 20 22 24 26 28 36	ij	18	53			
TION		Ž	I Y	HEAN	STOV	2	20	-3 -5	22	30			
REL A			¥	¥	ST	_	18		27	36			
COR							16	ţ	39	30			
							<b>*</b>	Ŧ	53	30			95
							12	9	62	30			93
							10	~	93 108	30			00.00 700.00
							•	9		30		76	866
							ø	-5 -6 -7	7.	30	£.	80	7.00 V
							3	7	2	30	46	69	57 t7 81 86 95 57 t7 81 86 90 52 65 78 81 b7
							~	4- 6-	<b>12</b> 69	30	* \$450	53	\$7.00 07.00

6	ıν	89	Ş.												
58	4	81	22												99
56	^	65	36											30	7
ς.	41	6.7	٠ <del>٠</del>											252	3
25	9	44	30											282	φ.
Si	*	<b>6 7</b>	33											484 8647	25
48	m	46	30										25	24. 244.	4
46	~	ţ	30									3.5	18	7629	4
3	~	<b>3</b>	30									322	7	5455 8455	9
45	<del>e</del> ri	0 7	36									344 360			
G 4	9	<b>8</b> 8	36											2544	30
	~	۶,	33								54	00000 1111	9	0 to 3 to 3	3
36	m	52	30							₹	6-	5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	11	2 12	67
3.	~	25	30							4 1 7 7	-1	4000 4000	-1	*************************************	80
32	•	52	š							203	'n	10.00 p	٩	044°	7
'n	4	23	30							2102	37	28m2	-19	111 4041 5000	6
2.8	0	:	33						7	2000	56	ころできょうできるよう	27	1450 1400	56
26	0	17	36					~						1722	
24	7	23	28					74 0	ē,	250	##	1812	ţ	5000	133
22	ï	78	29					<b>ΦΩ</b> 44 Ω <b>ΦΦ</b>	40	4044	ī	សស។ លិសិស្សិស	-12	2007	σ
20	?	22	30					ないたよ	P	121	ī	W.V.G.	- 19	2202	-7
18	ñ	27	36				8 5	1410 1410	7	WEET TO	~	1,22	-25	128 80 80 80 80 80 80	m
16	1	39	30			26	8	011t	-1	4450	-	940N	-11	, , , , , , , , , ,	70
74	7	53	30			ល ស្ត្	7.8	ው ታም ያ	9	5000	2	40 4500	~	2 2 2 2 2 2 3 2 3 3 4 3 4 3 3 4 3 4 3 4	*7
12	٩	62	30			マウア	\$	RW4 W600	•	1221	5	222	٩	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	70
70	-	108	30			00 47 4705	71	1 GO 1 1 GO 1	-10	2444	ě	ಬರಿಕಾಣ ನನ	-10	50000 50000 50000	~
40	9	93	30		76	8000K	60	848 868	- 10	2212	*	4044 8000	71	- 30 26 23 23	2
ø	15	7.	30	93	80	<b>646</b> 60	52	\$0.24 \$0.04	•	469	*	4004	13	1 1 1 1 1 2 2 3 3	25
4	1	7.	30	46	65	らられる。	41	MAKE HEME	7	4440	9-	ທອດທ ທອດທ	12	こまでま	20
~	'n	69	30	\$ 0.00 4.40	53	4004 むといい	35	4884 5888	-11	994W	Ŧ	1988	<b>5</b>	4014 9670	16
.035	7	4.2	30	1010 1004 1004	2.5	MWW OWN	23	<b>*</b> 5777	-17	\$043 1144	-13	さまるの さまるの	3.2	1 ' Ú	ŗ
¥	MEAN	STDV	2	~3·0·0	20	7744 7744	97	೧೯೪೪ ೧೯೯೮	30	സ്വയത നമ്പന	9	040g 4444	50	でいらい のかかい	99

Table A8. Meridional Winds From the Surface to 60 km at (Thurchill (Cont.)

CURRELATION AT PAIRS OF LEVELS FOR OUT 1989-1976	FORT CHURCHILL, MANITUGA	NORTH-SOUTH HIND M/SEC SOUTH +	KH KILOMETERS ABOVE SFA LAVEL	MEAN AVERAGE OF OBSERVED VALUES	STOW STANDARD DEVIATION OF VALUES TIMES 10	N NUMBER OF VALUES AT EACH ALTITUDE
3						

۶,	**	56	<b>1</b>												
58	•	¥4 83 83	÷												52
56	~	136 1	25											2.2	5.6
\$	~:	130	ų,											 8.8	51
47	~	oʻ.	3											75 52 57	Ę,
33	1	136	(3 th											50.00 50.00	54
9	₩	121	ű										90	12 10 02 10	9
46	71	1 20	 'C									çş Çş	7.	<b>9900</b> 9	58
<b>†</b>	0	. 221	i,									36	9.2	40.07	25
2 +	9	115	5.5									76.6 07.0	7.4	\$100.0 \$100.4	49
0,	a	47	4.8									7.861- 2.11-10	0,	<i>る</i> n/4n むつい~	۲,
2	¢.	34	51								60 1-	707.0 744.43	63	0 M M O 0 T t t t (1)	Ţ
3,	0	36	53							ţ. O	82	£6.17 65557	4	##### ################################	38
7	•	35	55							42	\$2	1895 1895	51	446r	53
32	7	83	51							7833	2	3555 37355	3	4225	35
36	7	72	25							വനൻ പരനേ	79	ಬಿಬಿತ್ತಿನ ಶಿಬನ್ಸ್	36	なるよう	61
2	7	53	25						9 6	3020	25	240101		SCICE MUINU	3.6
97	?	9.9	ν. Ω					<b>₹</b>	82	2982	37	23 23 4	17	ውውቸለ	<b>P</b> 3
72	eri i	6 7	<b>*</b> 7					80.0 60.0	63	4465 6067	20	515 £ 51	•	20,000	77-
2 5	ć) I	24	46					878 849	76	さまらま	4	00000	ç	1111 2004 1111	-18
2.0	2	20	53					SOUNDS	22	กกลเล	- 55	130	- 53	2222	<b>*</b>
19	2	85	.ç.				05	0404 0404	2	4000 4000 0000	39	1111 1444 1466	-37	1111 WW 1W WW 4W	-32
16	'n	6.8	5.5			91	95	25.50 25.50 25.50	-	NMMW MMMW IIII	39	1111 1111	-41	04450 04450	48-
7,7	r)	98	5			9.00 1.10	68	3201	6-	0777 0777 0777	-36	00000 1111	94-	111 1440 1440	-35
15	ţ	139	2			200	55	2010 U	-10	1111 0,000,0	- 38	1440 0440	6 1	1111	-24
10	į,	178	5 4			20086 40+16	35	5,0 <sub>10</sub> ±	ec 1	00000	- 3C	1111	ï	24.00	-19
•	‡	1 54	52		6	987 685 148	54	5-14.5	-7	7222	-31	1111 1225 1260	95-	1111 1838 1888	-57
ç	ţ	111	52	44	91	めるアド アンデめ	53	2047 7	6.	0.000 0.000 0.000	-32	MULT MULT	-37	35.35 35.35	- 31
3	۳	9.1	52	95	83	4000 4004	20	7007	9	1111 WWWW 3460	÷.	1111 NUME 1111	140	1111	-29
~	2.	72	5. 7.	\$ \$ \$0.00 \$40.00	51	ななない いいらい	65	27.50	9-	222	-35	1111 50000	-36	111 111	-16
. 335	7	25	46	224 225	7	7010	9	71 77 71 77		20141	9	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9	₩ ₩ ₩ ₩	-51
×	MEAN	STOW	z	01+0a	70	N#₩₽ ਜ਼ਜ਼ਜ਼ਜ਼	20	N449€	02	MWWW NAME	9	2444 0140 <b>0</b>	20	የነውበነው የነ ችጭው	99

\*\* MULTIPLY TAEULAR VALUES BY 1.01 TO ORTAIN CORFELATION COEFFICIENTS

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman

CORRELATION AT PAIRS OF LFVELS FOR JAN 1969-1976 Fort Sherman, Canal June East-West Wind W/Sec West +
---

STANDARD DEVIATION OF VALUES TIMES 14 NUMBER OF WALUES AT EACH ALTITUDE AVERAGE OF OBSERVED VALUES KILOMETERS ABOVE SEA LEVEL MEAN STOV

7

50 82

-20 -33 -19 64-ש ששנה ה שפנה ב פסבה

-27 -43 -31 -62 -23 -10 -29

\*\* MULTIPLY TABULAR WALUES BY J.OL TO DRTAIN CORRELATION COEFFICIENTS

12 - 11

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman (Cont) correlation at Pairs of Levels for APR 1969-1976

DATE OF THE STATE	FORT SHERMAN, CANAL ZONE	EAST-WEST WIND M/SEC NEST +	KILOME'ERS ABJVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STANDARD DEVIATION OF VALUES TINES 16	NUMBER OF VALUES AT EACH ALTITUDE
	•	EAST	KH	MEAN AV	STOV ST	Z

9	17	159	10	•							
ς. 80	18	192	23	•							96
5	20	168	5							<b>6</b> 1	10
7	9	146	ž							200	96
5.5		122	35							**************************************	9
50	12	91	35							0001 0001	7
8 7	01	42	35						€	444W 40000	47
4	~	82	3					36	9	tana Mere	7
4	₽,	96	3.5					57	35	200 to	19
5	7	114	ι. 					27.2	7	2022	1.8
40		124	3.5					<b>20024</b> 8 <b>402</b>	1.4	30° 50° 50° 50° 50° 50° 50° 50° 50° 50° 5	17
38	- 24	129	35				60	<b>&amp; \$ 40</b> <b>&amp; \$ 50</b>	1,	24.0¢ 200₩	52
34 G	•	109	35			9	36	4574B	7	40ND	ፓ
	.17	123	3			800 111	-12	45.45 10	6	2-01	6
	-13	74	J.			<del>დ</del> . დოო	-26	0 2 4 0 0 5 6 0	25	44 I	7
30	-15	139	35			0.000 ±	7 7	10 10 14 14	21	44 1	0
28	Đ	141	34	•	92	80 WW/N 80 MW/M	-51	114	*	414	17.
26	1	117	n 4	95	8	\$2003 \$003	164	111 121 121 121 121 121	01	44 1 (160.00	0
ž	ME AN	STOP	2	5.8	30	<b>6900</b> 00	0 +	02.00 1111	2	របស់ស ស 4-៦ ខា	90

\*\* MULTIPLY TAGULAR VALUES BY J.DI TO OSTAIN CORRELATION COEFFICIENTS

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman (Cont)

L 1969-1976		•			ES TIMES 10	
CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976	FORT SHERMAN, CANAL ZONE	EAST-WEST WIND W/SEC WEST +	KILOMETERS A93WE SEA LEWEL	MEAN AVERAGE OF OBSERVED VALUES	STOV STANDARD DEVLATION OF VALUES TIMES 10	1000 to 1000 t
CORRELATI		_	X	MEAN	STOV	3

82

\*\* MULTIPLY TAGULAR VALUES 97 0.01 TO ORTAIN CCRRELATION COEFFICIENTS

Table A9. Zonal Winds From 26 km to 60 km at Fort Sherman (Cont)

9/61-6961					TIMES 10	11105
CORRELATION AT PAIRS OF LEWELS FOR OCT 1969-1976	FORT SHERMAN, CANAL ZONE	EAST-WEST MIND M/SEC HEST +	KILOMETERS A33VE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STANDARD DEVIATION OF VALUES TIMES 10	MINDED OF VALIFFART SACH ALTTHOF
CORRELATIC		w	¥	HEAN	STDV	3

	w		~								
•		166									
58	17	_	2.6								86
96	67	145	2							6.3	3
ņ	<b>‡</b> 2	164	ţ							R-3 C-3	56
25	91	151	9							ФБ-4 WD-40	27
20	<b>1</b> 5	109	36							るちょう ちょう	16
4	77	121	3.6						62	るみまちょう	20
9	•	100	2					\$2	ę,	5.40°	21
3	~	114	36					R:44 60 44	27	ഗപ ಕಾಲಾವಾಬ	20
÷.	J	113	36					7574 665	39	111 N440	-15
9	~	128	36					8444	<b>9</b>	MA NUGO	-18
38	7	130	36				92	25.45 20.45	=	\$100 ±	-13
9	۳,	7 40	36			7.8	ξ.	9944	- 1	-410 -410	~
3	†	146	5			<b>6</b> 000	<b>*</b> 2	ಕ್ಕಾಗಿ ಕ್ಷಮ್ ಕ್ಷಮ್	5	FWGG	37
32	ì	145	36			ውስኒ ትኪብ	ţ	921.15	9	1403	61
30	17 0	146	36			1 1000 C	-17	36.07	122	1100	25
8	-16	153	36	:	90	40 1 07:20	-12	0.001.60	-10	NOU!	52
92	02-	671	3.5	76	1,7	1 1 44 0 10 10 10	==	6050 1 4 1	P	6445	•
ĭ	MEAN	STOV	z	82	33	MEINT NAME	o J	4441 N444	20	የአለኒኒ ለችውቀ	99

\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COFFFLCTENTS

Table A10. Meridional Winds From 26 km to 60 km at Fort Sherman GORRELATION AT PAIRS OF LEVELS FOR JAN 1964-1376

NORTH-SOUTH WIND MYSEC SOUTH FORT SHERMAN, CANAL ZUNE

STANDARD DEVIATION OF VALUES TINES 10 NUMBER OF VALUES AT EACH ALTITUDE MEAN AVERAGE OF OBSERVED VALUES STUV STANDARD DEVIATION OF VALUE KILOMETERS ABOVE SEA LEVEL

-1

5. 1.

HULTIPLY TAFULAR VALUES BY 0.61 TO ORTAIN CURRELATION COEFFICIENTS

25 25 37

77° F

Table A10. Meridional Winds From 26 km to 6? km at Fort Sherman (Cont) CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

NORTH-SOUTH WIND H/SEC SOUTH FCRT SHERMAN, CANAL ZONE

STANDA DEVIATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE AVERAGE OF OBSERVED VALUES KILOMETERS ABOVE SEA LEVEL HEAN STOV

58 60 1 -1 99 100 29 15 63 105 35 35 8 E 400 to 4 51 16 -22 0.400 W 10 22 26 17 17 35 34 24 - 1166 1254 - 1166 11 - 1166 119 - 119 -10 39 10 \*\* STOV ם משמש ש לללל ב משמעה מ מ מסילוט ט פיטילוט ט מטילוט מ

\*\* HULTIPLY TABULAG VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

48

Table A10. Meridional Winds From 26 on to 60 km at Fort Sherman (CCout) CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976

FORT SHERMAN, CANAL ZONE

NORTH-SOUTH HIND M/SEC SOUTH +

STANDARD DEVLATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE KILOMETERS ABOVE SEA LEVEL MEAN AVERAGE OF DASERVED VALUES STDV z 66 11

77 113 134 121 159 216 39 78 38 36 30 26 9 12 54 ø 3 6 6 39 45 3.9 7 39 -20 -23 39 38 36 39 34 33 32 39 30 4. 4. 4. 4. -21 39 16 21 \*\* 3 STOW MF AN ה שמרא ל לאלה ל מאשה ה ה שמרה כ מלה ה מתהם כ

\*\* HULTIPLY TAGULAR WALUES BY 0.01 TO.03TAIN CGRRELATION GOEFFICIENTS

である。 これなどのできることでは、1人のなどのできるとのできるとのできる。 1人のできることできることできることできる。 1人のできることできることがあった。 1人のできることがあります。 1人のできることがは、1人のできることがあります。 1人のできる

Table A10. Meridional Winds From 26 km to 60 km at Fort Sherman (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1369-1976 FORT SHERMAN, CANAL ZONE NORTH-SOUTH WINJ MYSEC SOUTH + KH KILOMETERS ABOVE SEA LEVEL
HEAN AVERAGE OF OBSERVED VALUES
STDV STANDARD DEVIATION OF VALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

Table A11. Zonal Winds From 26 km to 60 km at Barking Sands

9	<u>بر</u>	92 4	N .								
90	t M	289	35								96
26	31	285	46							96	95
24	57	280	25							00 00	96
25	75	251	3							96 57 5	4
20	•	250	<b>1</b> 0							0878 4700	<b>8</b> 0
48	۴)	546	4						91	\$557 <b>5</b>	7.0
46	∾	211	<b>Q</b>					36	4	70000 2000	96
4	#	164	t o					100 100	63	លលលល លល់។ល	51
45	~	156	4.0					990 900	4	G STEFF	15
3	m	160	4.8					SECUTO SECUTO SECUTO	25	3054	20
3	ſ	160	4				95	4446	9	too4	8
36	9	155	4 8			91	73	RENT.	Ð	II 4	- 12
34	6	151	8			99 44	9	0400 0414	-18	8977 111	-17
32	ው	138	10 1			06.3 00.3	4	41 40 20000	-26	2011 1111 6954	-18
33	^	120	48			46574 46574	5	122 m	-31	1229	-25
8	~	102	4	*	91	4000 to	17	4484	-26	2000 2000 2000	-24
56	0	75	48	95	78	575 877 877	u,	1111 1108 1108	-30	125	-24
¥	MEAN	STOV	z	28	30	MWHW MAGEN	C t	0407 4444	20	የአጥጥ የነፋው ድ	69

Table A11. Zonal Winds Prom 26 km to 60 km at Barking Sands (Cont) CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976

BARKING SANDS, HI EAST-WEST WIND MYSEC WEST + KM KILOMETERS A3JVE SEA LEVEL
MEAN AVERAGE OF ORSERVED VALUES
STOV STANDARD DEVIATION OF VALUES IIYES 10
N NUMBER OF VALUES AT EACH ALTITUDE

.. HULTIPLY TABULAR VALUES BY 0.01 TO DATAIN CCRRELATION COEFFICIENTS

Table A11. Zonal Winds From 26 km to 60 km at Barking Sands (Cont) correctation AT PAIRS OF LEVELS FOR JUL 1969-1976

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976	BARKING SANDS, HI	EAST-WEST WIND M/SEC WEST +	KILCMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED WALUES	STANDAKU DEWLATION OF WALUES TIMES 10	NUMBER OF WALUES AT EACH ALTITUDE
ON AT P	æ	EAST NE	KELCM			NOH 9E
CORRELATI			×	HEAN	STOV	Z

9	2	18	2								
58	-36	171	41								75
96	-35	140	15							4	23
54	24-	127	52							32	-5
25	64-	105	52							1441	177
26	-50	85	52							1 4 5 W 7	14.5
4	641	11	22						22	₩.44 ₩.4₩m	7
46	-48	7,	25					23	50 0	4001 4001	23
‡	-47	2	55					<b>6</b> 000	34	2222	24
45	*	7	55					75 50 51	30	3010 3014 3014 3014 3014 3014 3014 3014	25
40	-40	62	55					WWW.	27	3110 7987	19
9	-37	53	52				9	พณะณ	18	30.40	7.7
36	- 32	52	55			68	25	11 H	12	N-30 11 11	7
3	-29	4	55			61 29	15	4000	_	7709 1771	-23
32	-28	0 7	55			<i><b>MNJ</b></i> <b>O D O O O O O O O O O O</b>	52	NMON	4	2000 111	-26
90	-27	31	55			できせい いななだ	છ	2222	-10	111	-17
28	-25	35	51	:	54	ここれよ	3	N <b>6</b> 0 → N	3	1101	m
56	-24	m m	44	20	25	ころまる	8	3000 111	-12	4000 4000 4004 7004 7004 7004 7004 7004	-15
¥	MEAN	STOW	z	82	30	<b>WLWW</b> 01466	0,4	00th	20	ውያ የነፋውዩ	9

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OPTAIN CORRELATION COEFFICIENTS

Table All. Zonal Winds From 26 km to 60 km at Barking Sands (Cont) CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

The state of the s

CORRELATION AT PAIAS OF LEWELS FOR OCT 1969-1976 Barking Sands. Ht	EAST-WEST HIND 4/SEC WEST +	KM KILONETERS ABOWE SEA LEWEL	MEAN AVERAGE OF OBSERVED VALUES	STOV STANDARD DEVIATION OF VALUES TIMES 10	N NUMBER OF WALUES AT EACH ALTITUME

9	38	187	50	;							
28											
			34								è
56	37	179	42							Q. TU	
54	36	165	1							აი გი	:
52	37	162	t							00 0 0440	
5.0	34	166	ţ							ちろうちら	
4	30	151	<b>7</b>						96	0.0000 10340	1
9	56	149	† †					35	90	722	
4	25	138	<b>.</b>					96	86	4400	
4	18	130	\$ \$					8000 040	2	800A 7017	4.0
64	15	116	<b>3</b>					1287 1080	70	\$5.22 \$5.21	4
3.8	07	120	<b>‡</b>				93	6576 6376	ą.	でまるよ	63
36	9	115	3			8	79	<b>7000</b> 0	64	0000 0400	3
34	7	46	4			<b>0.40</b> ∨10	11	# 9000 4400	20	₩₩. ₩₩.	ď
32	9	7.	1			<b>77</b> 0	7,	625 6362 6982	63	9996 6449	2
30	6	60	4			<b>60000</b>	49	ಎಬಬಬ ಎಬಬಬ	20	4666	7.3
85	-11	58	4	:	8	ውበ\$ቦ ው <b>ቆ፦</b> ቦ	96	でもも4 46500	‡	೧೩೩೪೦ ೧೯೮೪	8
26	-11	46	39	6.9	25	ゆいしょ	84	0440 0400	<b>1</b>	N 181N C-0-0-0	5.8
¥	HEAN	STOV	z	92	30	SIMMIN Section	67	4444 0000	50	លល់ប្រហ លទ្ធភិបាល	60

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands

CORRELATION AT PAIRS OF LEVELS FOR JAN 1964-1976	BARKING SANDS, HI	NORTH-SOUTH MIND M/SEC SOUTH +	KILOMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STANDARD OEVIATION OF WALUES TIMES 10	NUMBER OF WALUES AT EACH ALTITURE
CORRELATIO		z	ž	HEAN	STDV	z

9	-	194	5.3	,										
58	σ	176	W)	,										-
56	~	163	40										86	9
54	4		47									u	800	11
2	N	150	4									44	20	7,5
ς 0		171	4									<b>6</b> 004	21	ī
4	თ	169	4								98	Φ1.4 ΓυΦ.4	0 5 4	2
46	.†	136	ş							8) ()	79	Sec.	30	_
† †	*	119	4							<b>4</b> 0 €		MOE NOT	, 10,	*
42	C	98	<b>6</b>							00 44	53	S CORC	.9	*
9	0	86	4						64 04	45	18	47 05-	16	0
38	ï	7.7	4					75	74 MG	ታም የአር	16	9~~	-	-29
36	2	65	4				63	14	0.4 4.4	00 & &	53	0000 000	5	-18
3,	7	7.1	4			69	33	92	100	20 20 20	16	22 16 16	<b>17</b> 0	-29
32	9	61	4			F.2	2	10	200	40 0.0	23	094 400	4	-12
30	-1	52	4			400	16	2	44 0.40	7 7 7	16	222	**	۲
28	#	40	3	:	99	0.WO	2	14	# P	20	10	111 121 121 121 121 121 121 121 121 121	ø	-16
92	~	56	3	91	30	404 000	27	34	200	76 70	30	200 T	2	38
¥	MEAN	STOV	z	28	30	tu d Gi	<b>1</b>	<b>3</b>	() 2 ()   2 () ()	0 eo 7 7	20	ውድል የአታው	φ υ	79

\*\* MULTIPLY TREULAR VALUES BY 0.61 TO OBTAIN CORRELATION COEFFICIENTS

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands (Cont)

Shinging would be the state of the state of

CORRELATION AT PAIRS OF LEVELS FOR APR 1959-1976

HORTH-SOUTH WIND MISEC SOUTH + BARKING SANDS, HI

STANDARD DEVIATION OF VALUES TIMES 18 KILONETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STOV

NUMBER OF VALUES AT EACH ALTITUDE

80 26 11

0.04E 0.04E 0.04E n whom a 1141 w wown o

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

-5 42

Table A12. Meridional Winds From 26 km to 60 km at Barking Sands (Cont)

The second of th

CORRELATION AT PAIKS OF LEVELS FOR JUL 1969-1976 Barking Sands, Hi

NORTH-SOUTH MIND M/SEC SOUTH +

KM KILCMETERS A30VE SEA LEVEL MEAN AVERAGE OF OBSERVED VALUES STOV STANDARO DEVIATION OF VALUES TIMES 16 N NUMBER OF VALUES AT EACH ALTITUDE

116 116

26

\*\* MULTIPLY TAFULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

04 40.

Meridional Winds From 26 km to 60 km at Barking Sands (Cont) Table A12.

and the second of the second o

CORRELATION AT PAIRS OF LEWELS FOR OCT 1969-1975	BIRKING SANDS, HI	NORTH-SOUTH MIND MYSEC SOUTH +	KH KILCMETERS ABOWE SEA LEVEL	MEAN AVERAGE OF OSSERVED VALUES	STOW STANDARD DEVIATION OF WALUES TIMES 10	N NUMBER OF WALUES AT EACH ALTITUDE

5.8		^	: 2	,							2
96	^	69	, ,	,						#1 3	3 6
7.	ī.	62	1	:						23	37
52	-3	7.2	ę. Ł							178	. 23
S		7.2								<b>らうごよ</b> たってこ	30
<b>∞</b>	9	53	<b>3</b>						99	210 4 2000	28
9	ŗ,	54	3 3					9	Ţ	##10 ##10	20
3	3	55	3 5					700 00	15	28 44 28 34	54
.7 -7	-4	57	3					₩ <b>.</b> ₩₽₽	35	999E	36
7.	-	25	<b>7</b>					2417 3452	2.2	4041 8080	21
38	-	50	3 3				28	20.2F	rv	いっちゃ	15
35	-	45	4			2	. 10	ONO OADE	19	₩¢.00	13
34		39	ţ			40	17	3272 2017	29	220 H	15
32		4	<b>\$</b>			B(1)	=======================================	としょう	39	441 441	-15
30	3	30	3			3 HO 80	ů	214 114 1 1	9	777	11
28	-	53	4	:	3	1100	D,	なるなよ	σ	40,40	-25
٥٠ <u>.</u>	-	56	33	15	9	S PAGE	10	さきごよ 804mm	÷	25 17 17 17	0
ĭ	ME AN	STDV	z	82	30	Made orto	0.7	4333 N 300E)	90	1456	6.0

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

69 59

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1076 CAPE KENNEDY, FL

		0	
KILOHETERS ABOVE SEA LEVEL	AWERAGE OF OBSERVED VALUES	STANDARD DEVIATION OF VALUES TIMES 10	NUMBER OF VALUES AT EACH ALTITUDE
¥	MEAN	STOV	z

3	3	254		;							
5	<b>17</b>	250	P7	•							9
96	26	25E	47							S	. 5
5	49	255	S,							0.40 0.40	1
ς;	9	242	55							⊕ ⊕ ⊕	82
50	<u>.</u>	248	55							MUSE 4	
4)	P)	255	52						<b>©</b>	0.00V 0.00V	2
•	M	233	5					97	3	755K	25
1	12	233	r.					-⊅0. സ⊶	06	70000 0000 0000	76
<b>*</b>	7	213	Ω,					31VO			54
4	15	134	ŝ					ი <b>ას</b> ტი ტიუნ	19	<b>ው</b> መውደ ቁጥውበ	4
ĸ,	15	176	55				35	<b>そりらか</b> とりなり	25	4014 640b	33
36	17	158	S,			16	92	\$5.00 \$5.00	4	ためなら ちのりり	19
ŧ	13	146	52			900	5	3+40N	13	t mag	P)
32	15	143	52			900	34	Out もろさり	"	945	-13
30	7	126	55			4070 4070	23	277	-12	00003 4444 1111	-25
58	٠	111	2,4	:	9,	2010 8000	ø	1 44 1 44	-29	4040	-4
56	S.	90	64	ů	40	ውጮታተ ቪ 3ሪነሳ	*		-24	9-193 70000	-25
¥	AC AN	STO	z	2 <b>9</b>	30	これらき	;	0.400 2.4.4	69		

\*\* MULTIPLY TAGULAR VALUES BY 3.01 TO 38TAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR AFR 1969-1976	CAPE KENNEDY, FL	EAST-HEST MIND MYSEC MOST +	KM KILOMETERS ABOVE SEA LEVEL	MEAN AVERAGE OF OBSERVED VALUES	STOW STANDARD DEVIATION OF VALUES TIMES 10	the same of the sa

6.	۲۰,	152	32								
5.8	~	136									4
96	-	133	\$							5	4
ů,	-	147	36							500	
5.2	~	154	50							212	4
53	~	139	50							りゅうちょうこと	4
4	۰	147	50						2	5573 5443	9
46	+4	131	3					96	73	どもから いいもも	ď
\$ \$	N	110	50					<b>600</b> 100	9	4Pto	57
4	3	1.05	55					ಕುರಾಪ ಬರ್ನ	52	BM 4K BBMN	7.
1	177	105	50					ひんちゅう	3	12042 4043	
₹	*	115	56				95	94 RW 440.0	5	きてもよ	4
W.	Φ	133	50			<b>6</b>	86	<b>ゆら</b> なこ よりらら	3	MA MOLA	-
34	~	125	υ .,			0.40 6.10	7	ゆうけい そのもい	32	74 5670	71
32	w	105	50			の <b>ゲア</b> いの3J	7.7	<b>&amp;&amp;</b> &-4 <b>&amp;</b>	34	きこと ひこまも	2.5
30	#		20					たった ちょうよう			•
5.6	N	7.	9	:	91	2009 2009 3	5.8	かいさい いまいな	7.7	2014	11
52	7	55	\$	92	Z	0.3 1.7 0.00v	<b>3</b>	3804 8404	•	3300	?
ž	ME AN	STOR	z	92	30	ಬಹುಬಬ ೧೩೮೮	07	7117 71100	ç	መውያው የነውድ ነ	90

\*\* HULTIPLY TAEULAR VALUES BY 0.01 TO ORTAIN CORRELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont)

言語で見る言語があり、「人名はこうに言語である。」というでは言語である。これでは言語である。「一名なる」となる。これでは言語の思考では言語が表現している。

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 CAPE KENYEDY, FL

EAST-MEST HIND M/SEC NEST +

MEAN AVERAGE OF OPSERVED VALUES Spoy Standard Deviation of Values Times 10 NUMBER OF VALUES AT EACH ALTITUDE KILCHETERS ABOVE SEA LEVEL

51 -54 -55 -53 -50 -50 -51 -% % % 55 47 63 67 56 56 56 56 80 -24 -25 -26 -29 \$ £ 32 34 5 5 5 6 30 **3 %** 

60 44

67

\*\* MULTIPLY TABULAR VALUES BY 0.01. TO DETAIN COARELATION COEFFICIENTS

Table A13. Zonal Winds From 26 km to 60 km at Cape Kennedy (Cont) CORRELATION AT PAIRS OF LEWELS FOR OCT 1969-1976

36 38 40 8 11 15	116 127 139	54 54 54		76	75 89	556 722 556 722 771 657 71 657 71 723	8 72 8	59 72 78 54 67 76 52 65 77	12 85 24
32 34 3 0 4	75 86 11	54 54 5		755 827 75 827 75 827	63 67 79	2450 2450 250 250 250 250 250 250 250 250 250 2	Z	448 448 448 60 60 60 60 60 60 60 60 60 60 60 60 60	51 45 44
6 28 30	63	2 54 54	88	558 759 558 759 51 558 559	52 50	4444 00000	41 43	TOOM TOOM	25 47
-	63	٠	•0	@K-00		4444	1 41 4	anaa	N
8 4	63	, v	•0	558 568 568 569 569 569 569 569 569 569 569 569 569	2 52	4444 EMMU 4444	41 4	TANA TANA TANA	25

95 \*\* MULTIPLY TABULAR VALUES BY 0.41 TO OBTAIN CORRELATION COEFFICIENTS Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976 CAPE KENNEUY, FL

NORTH-SOUTH WIND H/SEC SOUTH +

STANDARD DEVIATION OF VALUES TIMES 10 NUMBER OF WALUES AT EACH ALTITUDE AVERAGE OF OBSERVED VALUES KILOMETERS ABOVE SEA LEVEL HEAN STOW z

8 5448 8 2 5448 9 ው መውድለ ፡፡ መመድለ ፡፡ ው መውድለ ፡፡ ው ው መውድለ ፡፡ መውድለ ፡፡ መውድለ ፡፡ ው

42

ጉ ያ

HULTIPLY TAGULAR VALUES BY 0.01 TO DETAIN CORRELATION COEFFICIENTS

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont)

969-1976					TIMES 10
OR APR 1		SOUTH +	LEVEL	ALUES	VALUES
F LEVELS F	CAPE KENNEDY, FL	IND M/SEC	ABOVE SEA	OSSERVED V	VIATION OF
CORRELATION AT PAIRS OF LEWELS FOR APR 1969-1976	CAPE K	NORTH-SOUTH WIND M/SEC SOUTH +	KILOMETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STOW STANDARD DEVIATION OF VALUES TIMES 10
CORRELATION		2	¥	MEAN	STUV

	56
	54
	25
TUDE	90
ALTITUDE	<b>6</b>
ACH	9
VALUES AT EACH	\$ \$
UES	4.
VA.	9
ጽ ዶ	38
NUMBER	36
ž	34
Z	32
	30
	40

¥	MEAN	STOV	z	28	30	MMMM	04	020EN	50	でいいい いちのも	60
9	#1	57	48	4	19	137 177 137	-5	228 619 64	30	2422 2423	52
28	<b>€</b>	35	84	*	62	2000 7400	0	101 101	17	4024 8946	35
30	N	35	20			<b>60004</b>	32	SS ##	56	482 7000	27
32	#	<b>6 4</b>	20			<b>444</b>	37	よっよう ららちら	19	00°04	13
34	0	50	20			70 10 10 10 10 10 10 10 10 10 10 10 10 10	43	80 m	18	1 4M	32
36	~	25	20			55	46	で な な な な な な な な な な な な な	53	大 で と よ で る よ	27
300	2	63	20				9	まるでは そよるら	22	#ro4	36
3	•	65	20					SWWS FWWD	31	44.7	52
2	0	7.0	20					424	18	4000 1000	E)
ţ	0	20	20					4+1 0:0	22	MUMM MUMM	35
9	-	75	20					61	92	22 24 26 26 26	13
ę,	m	75	20						53	55 75 57 75	ę
20	4	59	20							3449E	7
25	\$	77	20							222	-17
3	m	69	50							<b>41</b>	76
			-								-

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 CAPE KENVEDY, FL

NORTH-SOUTH MIND M/SEC SOUTH 4

KH KILOMETERS ABOVE SEA LEVEL HEAN AVERAGE OF OBSERVED VALUES STOV STANDARD DEVLATION OF VALUES TIMES 10

N NUMBER OF VALUES AT EACH ALTITUDE

MULTIPLY TAEULAR WALUES BY 0.01 TO OBTAIN CURRELATION CCEFFICIENTS

Table A14. Meridional Winds From 26 km to 60 km at Cape Kennedy (Cont)

KM KI HEAN AV STOV ST	CARRECTION AT THIS OF LEVELS FOR COLLEGE SOUTH AND MYSEC SOUTH AND MYSEC SOUTH AND MYSEC SOUTH AND MYSEC SOUTH AND MYSERS ABOVE SEA LEVEL  HEAN AVERAGE OF OBSERVED VALUES  STOV STANDARD DEVIATION OF VALUES ID  N NUMBER OF VALUES AT EACH ALTITUDE
-----------------------	---

58	2	83	7								76
56	r.	15	4							79	4
Ŷ,	T	7	24							30	31
25	S.	ř	ν. 1							785 785	52
50	w	8.0	24							ていらりょうて	32
48	S	e1	2,4						<b>6</b> 0	3040 3460 3460	92
9	J	72	5,4					ź2	63	2554 7840	54
ţ	t	25	<i>‡</i>					553	34	4888 4888	5 8
co te	4	t.	25					0.00 0.00	33	23 23 23 23	<del>1</del> 3
0,	7	58	54					ゆる で で で で で で	27	550Ph 7001	16
38	7	Ϋ́	ņ				56	124 1420	8	n.b.40	22
36	7	50	ή. 1			9	σ	ಛಷನಗ ನನನನ	19	01 44 0488	22
34	~	44	54			4	15	3497 1467	27	95441 9569	R
32	m	35	ů			ا ال	31	2540	70	404 444	10
36	+	33	54			040m	28	45 44 84	54	4000 4000 6000	24
88	0	52	24	:	54	4440	13	944 9886	•0	2,140 2,140	13
55	#1	25	25	30	36	0004 44	61	25.4 20.4 20.4 20.4	ø	24 2 2502	77
×	MERN	NGTS	z	59	30	NJOD	9	1333 01300	20	ወውቲທ ህብ ህህ	9

\*\* HULTIPLY TAEULAR VALUES BY 0.01 TO OSTAIN CORRELATION COEFFICIENTS

Table A15. Zonal Winds From 26 km to 60 km at White Sands correlation at Pairs of Levels for san 1969-1976 WHITE SANDS MISSILE PANGS, NM EAST-NEST WIND MYSEC WEST +

KILOMETERS ABOVE SEA LEVEL Average of Observed Values	STANDARD DEVIATION OF WALUES TIMES 10	N NUMBER OF WALUES AT EACH ALTITUDE
MEAN	STOV	2

_					,		7	,,,,,			•
¥	MEAN	STOW	z	28	30	MWWW MWWW	9	030E0	50	ວະດະເທ ດາດາດາດ	90
56	m	115	9	89	ş	4 6 6 7 6 9 6 9	32	41,54	-37	1233	-19
28	'n	149	61	:	96	667 699 699 699	45	445 77 11 11	-33	1221	-16
30	•	168	62			9495 9490	4	11 4212 6437	-41	1111 W4K4 W0100	-13
32	10	199	62			0.60V	63	₽ 10 ₽ 40	-31	4400	-1
46	14	227	62			000 14	73	1 2 2 2 2 3 3	-13	4464	•0
36	17	246	63			3	82	984 8974	20	9110	1.5
38	17	248	63				68	2527	16	まままる	31
7	21	245	9					4000 4000	33	8000 8000 8000 8000 8000 8000 8000 800	4
45	23		63					<b>න</b> ණල ආකල	59	00000 1500	9
4	2 <b>8</b>	267	63					44 6%	76	772 700 66 65	62
4 6	33	283	62					93	69	5480	*
49	39	304	63						96	4350	75
20	4	307	63							90×9	16
25	45	289	63							400 400	80
5	7	256	63							9. <b>60</b>	61
26	45	267	58							\$	86
2	25	272	58								8
ę.	28	273	55								

\*\* MULTIPLY TABULAR VALUES BY J. D1 TO DETAIN CORRELATION COEFFICIENTS

Table A15. Zonal Winds From 26 km to 60 km at White Sands (Cont)

・人名意文を意見を記している。

CORRELATION AT PAIRS OF LEVELS FOR APR 1969-1976 EAST-WEST MIND MYSEC WEST + WHITE SANDS HISSILE RANGE, NH

STANDARD DEVIATION OF WALUES TIMES 10 KM KILOMETERS ABOWE SEA LÉWEL MEAN AVERAGE OF OBSERVED WALUES KILOMETERS ABOVE SEA LEVEL STOV

NUMBER OF VALUES AT EACH ALTITUDE

MULTIPLY TABULAR VALUES BY 0.01 TO URTAIN CORRELATION COEFFICIENTS

Table A15. Zonal Winds From 26 km to 60 km at White Sands (Cont) CORRELATION AT PAIKS OF LEVELS FOR JUL 1969-1976

The state of the s

EAST-WEST HIND MISEC WEST + WHITE SANDS MISSILE RANGE, NM

STANDARD DEWIATION OF WALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE AVERAGE OF OBSERVED VALUES KILOHETERS ABOVE SEA LEVEL MEAN STOV z

\*\* MULTIPLY TAGULAR VALUES BY 0.01 TO OSTAIN CORRELATION COEFICIENTS

.0

では、これの

Table A15. Zonal Winds From 26 km to 60 km at White Sands (Cont)

CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976	WHITE SANDS MISSILE RANGE, NM	EAST-WEST WIND W/SEC WEST +	KILOMETERS ABOVE SEA LEVEL	MEAK AVERAGE OF OBSERVED VALUES	STDV STANDARO DEVIATION OF WALUES TIMES 10	NUMPER OF VALUES AT EACH ALTITUDE
CORRELATION	¥	E	ž	MEAN	STDV	z

09	52	232	51								
58	53		51								85
96	21	~	22							56	87
54	<b>6</b>	562	23							ውው ችሺ	0
52	4	263	n O							000 004	85
50	40	266	58							のののの	82
8 7	35	230	28						46	&0000 \$0004	29
\$	31	206	58					76	m T	20000 40000	*
\$	82	210	5.0					97	91	<b>(16) (16) (16)</b> (14) (16) (16) (16) (16) (16) (16) (16) (16	8 2
4	56	202	58					കമുക മേസ്	99	<b>600000</b> 60000	95
0.7	<b>5</b> *	198	58					0000 0000	87	<b>60000</b> 6400	63
33	23	184	5.8				95	0000 0000	8	<b>4440</b>	82
36	44	163	58			95	87	చడు <b>చట</b> చెట్టుల	8	も の り の り	9
34	15	136	58			<b>0-€0</b> 17:0-	81	7778 9781		2777	7.7
32	0.1	113	5.0			<b>ಎಎಎ</b> ೩೧೦	7.0	9967 9909	7.3	<b>7600</b> 4600	68
30	9	106	57			4000 4000	29	የአየአውጭ ውኔታሪሳየህ	49	ውስውው ትምስላ	6.3
28	3	75	96	*	99	アプトの	9	ውውውው ቁውውው	65	<i><b>WWWW</b></i>	7.1
56	#	99	51	69	16	<b>6666</b> 6886	25	ಬಹಿತಿತಿ ಕಾರಟ್ಟ್	2	2000 2000	63
¥	MEAN	STOV	王	92	30	กษอย พยพท	9	<b>0</b> 0tn	50	ಸಿಸುಬುಗು ഗ3-ದಿಪು	9

\*\* HULTIPLY TABULAR VALUES 9Y 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds From 26 km to 60 km at White Sands correlation at Pairs of Levels for Jan 1969-1976

MHITE SANDS MISSILE RANGE, NN NORTH-SOUTH MINJ M/SEC SOUTH + KM KILOMETERS ABJUE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STDV STANDARD DEVIATION OF VALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

\*\* MULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A16. Meridional Winds From 26 km to 60 km at White Sands (Cont)

CORRELATION AT PAIRS OF LEWELS FOR APR 1969-1976		
APR	Ī	Ŧ
ş	NGE ,	SOS
Ľ	A.	SEC
EVE	I.E	È
0F L	HISS	KIN
1145	WHITE SANDS HISSILE RANGE, NH	NORTH-SOUTH MIND M/SEC SOUTH +
ď	SA	-20
AT	ITE	RTH
õ	¥	Ž
A		
RE		
S		

	9	r.	137	46								
	Ω Ø	~	108	2								20
	56	9	124	96							69	6
	ş	*	47	9							4P)	20
۶ 10	25	i.	69	9							0.40 0.40	38
TIMES	5	3	99	63							さいろう	\$
ES	4	r.	99	9						3	いいなで となむの.	4
LEVEL VALUES F VALU EACH A	9	m	85	9					3	23	なななられ	22
SEA EO W IN OF AT E	3	**	93	9					<b>⊕3</b>	53	<b>ት</b> መሆኔ ምውሆ4	9
ABOVE SEA OBSERVED VIATION ( ALUES AT	<b>~</b>	~	88	5.0					243 266	16	PENIO PUNO	29
S ABOVE F OBSER DEVIATION	9	2-	8	9					00MF 013M	30	1000 1000	9
ETERS GE OF ARO DE A OF A	38	9	5/	63				7.	できてら	56	22.23	•
KILOMETERS ABJVE SEA LEVEL AVERAGE OF OBSERVEO VALUES STANDARO DEVIATION OF VALU NUHBER OF VALUES AT EACH A	36	**	90	99			58	4	さるもよ ころもら	ដ	3404 8444	15
-	35	#1	65	9			Ф <b>3</b>	46	みたよん いいい	0	84 84 84 84	10
MEAN STOV	32	-	10 C)	6.9			674 614	4	2020 2020	23	さんよさ さんらよ	21
	30	+	4	9			PUMM MUMO	32	443¢	30	nu ongn	ø
	82	-	32	<b>8</b>	•	9	ちろきらうアクル	97	1 41 2040	-12	4464	ស
	92	+1	33	T 1	52	27	24W 740	6	244	-35	1111	-23
	¥	MEAR	STOW	z	82	30	できる で で い い う り で り り り り り り り り り り り り り り り り り	0	\$\$3\$ 0\\$@@	50	የነባነነው የነገ ታለው የነገ	90

Table A16. Meridional Winds From 26 km to 60 km at White Sands (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 NORTH-SOUTH WING M/SEC SOUTH + MHITE SANDS HISSILE RANGE, NH

STANDARD DEWIATION OF VALUES TIMES 18 NUMBER OF VALUES AT EACH ALTITUDE MERAGE OF OBSERVED VALUES KILOMETERS ABOVE SEA LEVEL HEAN STOV

54 51 49

9 6 111 29 21 - 16 2000 # #P## ち 10mm a い 47mm の 33 STDV 0 m mmmn 1 14444 m mmmm 0 0 0 11460 1 11460 0 11460 0 \*\* MULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

19 -14 -10 -28 -12 -45 -10 -20

-6 23

12 - 36

Table A16. Meridional Winds From 26 km to 60 km at White Sands (Cont.) CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976

では、10mmので

NORTH-SOUTH WING MYSEC SOUTH + WHITE SANDS MISSILE RANGE, NH

STANDARD DEVIATION OF VALUES TIMES 10 NUMBER OF WALUES AT EACH ALTITUDE KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES MEAN STOV

9

**1**0

51

5. S

ተቋመን ውክጭት 2000 たたな 94 3.2 3.7 ۲, ۲, 4€ A≥ STOV N M WEND O WARE O WARE O

73 76 \*\* HULTIPLY TAGULAR VALUES RY 0.01 TO OPTAIN CORRELATION COEFFICIENTS 53 25

\$

39

56

Table A17. Zonal Winds From 26 km to 60 km at Primrose Lake CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

EAST-MEST WIND M/SEC WEST + PRIMHOSE LAKE, ALBERTA

STANDARD DEVLATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE AVERAGE OF OBSERVED VALUES KILOMETERS ASOUE SEA LLVEL HEAN STOV

‡ %

4

23 23

7.7

72

ŀ -13 .. MULTIPLY TABULAR VALUES BY 1.01 TO ORTAIN CORRELATION COEFFICIENTS

3

Table A17. Zonal Winds From 26 km to 60 km at Primrose Lake (Cont)

CORRELATION AT PAIRS OF LEWELS FOR APR 1969-1976 PRIMROSE LAKE, ALBERTA

EAST-NEST WIND H/SEC WEST +

KILCHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES MEAN STANDARD DEVLATION OF VALUES TIMES 10 STOV

NUMBER OF VALUES AT EACH ALTITUDE

30

STDV

444M 4 

\*\* MULTIPLY TABULAR VALUES BY 8.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A17. Zonal Winds From 26km to 60 km at Primrose Lake (Cont) correlation at Pairs of Levels For 007 1969-1976

PRIMROSE LAKE, ALBERTA EAST-WEST WIND W/SEC WEST + KM KILOMETERS ABJUE SEA LEWEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF VALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A18. Meridional Winds From 26 km to 60 km at Primrose Lake correlation at parks of levels for Jan 1969-1076

PRIMROSE LAKE, ALPERTA NORTH-SOUTH MIND M/SEC SOUTH + KM KILOMETERS ABOWE SEA LEWEL
HEAN AVERAGE OF OBSERWED VALUES
STOV STANDARD DEVIATION OF WALUES 10
N NUHBER OF VALUES AT EACH ALTITUDE

\*\* MULTIPLY TAEULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A18. Meridional Winds From 26 km to 60 km at Primrose Lake (Cont)

CORRELATION AT PAÍRS OF LEVELS FOR APR 1969-1976	PRIMRUSE LAKE, ALBERTA	NORTH-SOUTH MIND MYSEC SOUTH +	KN KILOMETERS ABOVE SEA LEVEL	MEAN AVERAGE OF OSSERVED VALUES	STOW STANDARD DEWLATION OF WALUES TIMES 10

NUMMER OF VALUES AT EACH ALTITUDE

9	13	32	5,4								
28	v		62								7.8
26	<b>6</b> 0	16	33							61	36
54	'n	85	31							25	29
25	<b>P</b> **	3.	Ŧ,							たい いいな	11
50	3	68	31							でいする こいこの	£
3	4	Ľ	31						69	<b>60004</b>	8
46	4	22	31					68	ž	かたよう たたくの	ψ.
ţ	~	49	31					55 212	51	ちらもちらってき	4
4.2	•	<b>3</b> 6	31					7500	53	イロイヤ	25
9	0	76	31					8444 8444	63	0.030 0.030	*
33	~	16	31				00	1010 1010	64	できる ころもこ	9
36	-	69	31			75	91	<b>7</b> 004	8	ここよび てつきぬ	12
34	0	7.8	31			90	81	アラススク	30	0000 0040	9
32	N	Ŷ	31			0.40 0.40	<b>*</b> ?	044M	<b>5</b>	ಕ್ಷಕ್ಟು ಕ್ಷಾಗ್ನ	9
30	n	99	30			70000 70000	78	4440 0440	23	0404 0404	7
28	ដ	63	31	•	88	\$4000	69	らみまさらられて	23	ひまま のぞら4	11
56	7	‡ ‡	30	11	18	60V2 14444	63	ಬಾಬಬ್ಬ ಪ್ರವಜ್ಞರು	31	O. C. W. CORTO	77
X	ME AN	AGIS	z	20	30	ಕಾಬಹುಬ ೧೩೬೩	9	0243 0444	20	លល់លេខ ហ <b>ាន</b> សនា	99

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CURRELATION COLFFICIENTS

Table A18. Meridional Winds From 26 km to 60 km at Primrose Lake (Cont)

1969-1976		•			S TIMES 10
CORRELATION AT PAIRS OF LEVELS FOR OCT 1969-1976	PRIMMOSE LAKE, ALBEKTA	NORTH-SOUTH WIND H/SEC SOUTH +	KILGHETERS ABOVE SEA LEVEL	AVERAGE OF OBSERVED VALUES	STOV STANDARD DEVIATION OF VALUES TIMES 10
CORRELATI		-	Ţ	MEAN	STOV

NUMBER OF VALUES AT EACH ALTITUDE

90	æ	145	2.2	;							
e S	ហ			:							65
56	-\$	182	₩1 ₩1							2	94
54	N	155	5							645	2,
Ç.	-	141	5							707 707	4
17	~	114	tr)							F2004	32
4	-2	104	35						76	ろみごよ	9
46	'n	46	35					23	99	99/m	ä
4	7	93	35					<b>6</b> 00 2044	61	<b>4446</b> 6000	97
+		98	35					<b>74</b> 5		そうよう	7 9
10	7	102	35					2222	50	20000 2000	13
38	1	7.5	34				8.8	ちりょく	54	かっている	97
36	1.5	43	35			18	79	ちゅうろ	4 6	800kg	+
Ť	9	96	35			<b>0.40</b> €110	91	4472 4772	40	401年で	es.
32	÷	69	35			Q-60 60 44 60 45	Ž	かららん	<b>₩</b>	2442	9
30	,	83	5			0.000 0.004 0.004 0.004	7.4	0604 0440	#3	STORES	2-
28	.5	82	3.5	:	9	<b>60/7</b> 00	63	R.O.A.	~	<del>디</del> 디 = **	-
56	P	7.	35	84	99	97.00 97.00 97.00 97.00	53	₹0044 8804	<b>‡</b>	044W	7
ž	HEAN	STDV	z	28	30	2400 2400	40	4441 0400	20	いっちん こうない	9

\*\* MULTIPLY TABULAR VALUES BY J. 01 TO OBTAIN COFFELATION COEFFICIENTS

Table A19, Zonal Winds From 26 km to 60 km at Poker Flats

7

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976 Poker Flats, ak East-West Wind M/Sec West + KM KILOMETEKS ABJVE SEA LEWEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF WALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

\*\* HULTIPLY TAEULAR WALUES BY 0.01 TO OPTAIN CORRELAYIUN COEFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at Poker Flats (Conf)

							50	ç
							67 63	7
							10	~
							ž,	m
1976					2 10		53	<b>~</b> ₃
96					TIME	TUBE	50	řj
CORRELATION AT FAIRS OF LEVELS FOR APR 196,-1976		٠	J	s	STANDARD DEVIATION OF VALUES TIMES 10	NUMBER OF WALUES AT EACH ALTITUDE	26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60	0
<b>૪</b>		EAST-WEST WIND MYSEC WEST +	KILOMETERS ABOWE SEA LEWEL	AVERAGE OF OBSERVED VALUES	VAL	ACH T	9	-1
LSF	¥	ပ္	SEA	£0 V	NO N	A T E	<b>t</b>	ŗ
LEVE	POKER FLATS, AK	4/8	3¥E	SERV	ATIO	UE S	\$	ï
P	Ę.	IND	S A B	03	DEVI	¥ AL	9	ī,
AIRS	POKE	ST	ETER	0 30	ARO	9. P	3.6	9
AT F		7-1E	ILOM	VERA	TAND	UMBE	36	9
ž		EAS					34	-
ELAT			ž	MEAN	SrDV	Z	32	9
CORR							30	9
_							28	Š
							56	7
							_	EAN -4 -5 -6 -6 -7 -6 -6 -5 -3 -2 1 0 2 2 3 2 -1 -2

39

**5** 9

.. MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at Poker Flats (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 EAST-MEST MIND 4/SEC MEST POKER F.ATS, AK

STANDARD DEVIATION OF VALUES TIMES 10 KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES MEAN STOW

NUMBER OF VALUES AT EACH ALTITUDE

**CHOM H MHES S** STDV ው መመስህ ላ ተተተተ ነ መመመስ ው መመስ ው መመመስ ው

11

TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COFFFICIENTS

Table A19. Zonal Winds From 26 km to 60 km at Poker Flats (Cont) CORRELATION AT PAIRS OF LEWELS FOR OCT 1969-1576

KILOMETERS ABOVE SEA LEVEL

EAST-MEST MIND M/SEC HEST +

STANDARD DEVIATION OF WALUES TIMES 10 AVERAGE OF OBSERVED VALUES HEAN

NUMBER OF VALUES AT EACH ALTITUNE

54 60 31 26 215 169 21 16

27

2.7

2,

2.6

97 95 EDER O NENT R MONTH MANU T \$333 U WAND O WARD O WARD \*\* MULTIPLY TAFULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats

CORRELATION AT PAIRS OF LEVELS FOR JAN 1969-1976

POKER FLATS, AK North-South Wind H/Sec South KM KILOHETERS ABOVE SEA LEVEL MEAN AVERAGE OF OBSERVED VALUES STOV STANDARD DEVIATION OF VALUES TIMES 10 N NUMBER OF VALUES AT EACH ALTITUDE

\*\* MULTIPLY TABULAR WALUES BY 4.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats (Cont) correlation at Pairs of LEVELS for APR 1969-1976

GOKER FLATS, AK

NORTH-SOUTH WIND M/SEC SOUTH +

KM KILOMETERS ABOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF VALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUME

\*\* MULTIPLY TAEULAR VALUES BY 0.01 TO OBTAIN CURRELATION COEFFICIENTS

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats (Cont)

CORRELATION AT PAIRS OF LEVELS FOR JUL 1969-1976 POKER FLATS, AK

NORTH-SOUTH WIND MYSEC SOUTH +

STOV STANDARD DEVIATION OF VALUES TIMES 10 MEAN AVERAGE OF OBSERVED VALUES KILCHETERS ABOVE SEA LEVEL

HUMBER OF VALUES AT EACH ALTITUDE

r 59 5

35 ..

N300 0 N300 7 N300 3

29 -17

\*\* MULTIPLY TAGULAR VALUES BY 0.011 TO 0374IN CORRELATION COEFFICIENTS

-8 -14 -11

Table A20. Meridional Winds From 26 km to 60 km at Poker Flats (Cont)

COI ELATION AT PAIRS OF LEVELS FOR OCT 1969-1976 NORTH-SOUTH WIND MISEC SOUTH POKER FLATS, AK

STOW STANDARD DEWIATION OF WALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE MEAN AVERAGE OF OBSERVED VALUES KILCHETERS ABOVE SEA LEVEL z

47

52 ב משנה כ משנה כ משנה ב ש ש מחמת ח בננ ל ממממ מ ה

60

63

\*\* MULTIPLY TABULAS WALUES BY 3.01 TO DATAIN CORRELATION COEFFICIENTS

## Appendix B

Sample Calculations for Estimating the Effects of Winds on a Reentry Vehicle

The computations given in this Appendix illustrate how to estimate the effect of mean monthly zonal and meridional winds, and the day-to-day variations around their means, on the trajectory of a reentry vehicle passing through the region between 11 km and 5 km near Wallops Island in January.

For the purpose of this simplified example, the following influence coefficients for the vehicle have been assumed such that a wind of 1 m sec<sup>-1</sup> at a specific altitude will have the indicated effect through a 2-km layer of the atmosphere:

Layer (km)	Influence $[m(m sec^{-1})^{-1}]$					
11 — 9	0.7					
9 - 7	0.4					
7 - 5	0.2					

The average departure from a no-wind condition is the sum of the effects due to the mean monthly wind speed at each level as determined from Eq. (2) in Section 3 of the text:

Level (km)	Wallops Zonal Wind (m sec-1)		Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]		Distance (m)
10	31	X	0.7	=	22
8	34	×	0.4	=	14
6	28	X	0.2	=	_6
	Average depart	ure due	to zonal wind	=	42 m

Level (km)	Wallops Merid. Wind (m sec <sup>-1</sup> )		Influence [m(m sec <sup>-1</sup> ) <sup>-1</sup> ]		Distance (m)
10	2	×	0.7	=	1
8	2	×	0.4	=	1
6	1	X	0.2	=	_0
	Average departi	ire due	to merid. wind		2 m

Consequently, the average range and cross-range distance from a no-wind condition is 42\* meters to the east and 2\* meters to the north.

The integrated standard deviation of the departure due to day-to-day variations in the component wind profiles is determined from Eq. (3) in Section 3 using the standard deviations of the component winds at levels 10, 8, and 6 km and the correlation coefficients between these levels as indicated in the zonal and meridional arrays for Wallops Island, January, in Appendix A:

Zonal Wind

Corr Coeff		Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec-1)-1]	Std Dev (m sec <sup>-1</sup> )		Influence [m(m sec-1)-1	l <sub>]</sub>	Distance <sup>2</sup> (m <sup>2</sup> )
		$(12.0\times0.7)^2$					=	71
		$(15.0 \times 0.4)^2$					=	36
		$(12.3 \times 0.2)^2$					=	6
$2 \times 0.91$	×	$12.0 \times 0.7$	×	15.0	×	0.4	=	92
$2 \times 0.77$	×	$12.0 \times 0.7$	×	12.3	×	0.2	=	32
$2 \times 0.94$	×	$15.0 \times 0.4$	×	12.3	×	0.2	=	28
						Total ( $\sigma_2^2$ )	=	265 m <sup>2</sup>

Meridional Wind

Corr Coeff		Std Dev (m sec <sup>-1</sup> )	Influence [m(m sec-1)-1]	Std Dev (m sec <sup>-1</sup> )		Influence [m(m sec <sup>-1</sup> )-1]		Distance <sup>2</sup> (m <sup>2</sup> )
	-	$(19.2 \times 0.7)^2$		-			=	181
		$(16.4 \times 0.4)^2$					=	43:
		$(13.4 \times 0.2)^2$					=	7
$2 \times 0.97$	×	$19.2 \times 0.7$	X	16.4	X	0.4	=	171
2 × 0.50	×	$19.2 \times 0.7$	×	13.4	X	0.2	=	37
$2 \times 0.95$	X	16.4 $\times$ 0.4	×	13.4	X	0.2	=	_33
						Total $(\sigma_{\rm m}^{2})$	=	$472 \text{ m}^2$

Thus, the integrated standard deviation  $(\sigma)$  is

$$\sigma = \sqrt{(\sigma_z^2) + (\sigma_m^2)} = 27 \text{ m}$$
 (B1)

Based on the assumiption of circular distribution of winds, the vehicle will impact within 47 meters\* (1.73  $\sigma$ ) of the target 95 percent of the time, provided the aim point has been adjusted to compensate for the mean monthly wind. The CEP (the circle within which 50 percent of the missile hits (0.83  $\sigma$ ) will be scattered) is 20 meters.\*

These values reflect both smaller mean monthly effects and variability around the target than would normally be expected because the sample calculations have been made only for altitudes between 11 km and 5 km.